



# ROCKJUMPER

Worldwide Birding Adventures

## **Brazil: Serra dos Tucanos**

*Trip report*

*14<sup>th</sup> to 21<sup>st</sup> December 2014 (8 days)*



Red-necked Tanager by Adam Riley

**Tour Leader: Andy Foster**

**Trip report compiled by tour leader Andy Foster**

Day 1 and some of the group had already arrived in Rio and travelled up to the lodge the previous day. The rest of the group arrived at the lodge around mid-morning to steady rainfall! On the way up from Rio, the area around Guanabara Bay produced the usual species including Black-crowned Night Heron, Great, Western Cattle and Snowy Egrets, hordes of Magnificent Frigatebirds drifting high above the bridge, and Neotropic Cormorant. Upon arrival at the lodge everyone quickly settled into their rooms and minutes later we assembled on the main veranda at the back of the lodge, ready to see our first Atlantic forest endemics. There was a fair bit of action at the feeders and it wasn't long before everyone had great looks at Brazilian, Green-headed and Olive-green Tanagers, and Chestnut-bellied and Violaceous Euphonias; while Polly managed to see one of her (many!) main target species... the beautiful Blue-naped Chlorophonia... the only record for the trip!



**Brazilian Ruby by Markus Lilje**

After an early lunch, the rain eased and so at 14.30 we headed up onto the Extension Trail, where we spent the rest of the afternoon. Other highlights from today included our first views of Slaty-breasted Wood Rail, Saw-billed Hermit, Swallow-tailed Hummingbird, Versicoloured Emerald, Brazilian Ruby, Blond-crested Woodpecker (which turned up almost daily on the lodge feeders), Maroon-bellied and Plain Parakeets, Band-tailed Hornero (a rare visitor to the lodge grounds), Pale-browed Treehunter, White-throated Woodcreeper, fantastic views of 2 Star-throated Antwrens, the first of our set of 6 *Drymophila* antbirds, the Scaled Antbird, Gray-capped Tyrannulet, Yellow-lored Tody-Flycatcher, and nice views of 2 Gray-hooded Attilas. A fantastic male Pin-tailed Manakin put on a great show, followed by 4 Blue Manakins, and Red-necked and Yellow-backed Tanagers. We also had great views of White-tufted Eared Marmosets on the feeders.



**Rufous-tailed Jacamar by Dennis Braddy**

Due to the rain the following morning, we changed our plans and headed down into the lowlands to spend half a day at the Regua Wetlands. Highlights were many and included Black-bellied Whistling Ducks, Pied-billed Grebe, Rufescent Tiger Heron, Cocoli, Capped and nice views of 2 Whistling Herons, as well as Anhinga. Richards' sharp eye picked up Rufous-sided Crane, just walking across the path in front of us as we were busy looking in the other direction! 10+ Greater Anis were well observed as were 2 Rufous-breasted Hermits busily feeding along the sides of the path. We all had great views of 2 Rufous-capped Motmots, Rufous-tailed Jacamar and a Crescent-chested Puffbird. Other highlights included Channel-billed and Toco Toucans, Grey-bellied Spinetail (a first record for us on this excursion!), Chestnut-backed



Antshrike, Sooretama Slaty Antshrike, White-flanked and Unicoloured Antwrens, Eye-ringed Tody-Tyrant, Lemon-chested Greenlet (after a long chase!), Black-capped Donacobius, Red-cowled Cardinal and our only Hooded Tanager of the trip!

After lunch at the hide, we walked back to the minibus and took the 45 minute drive back past the lodge to spend the rest of the afternoon on the Cedae Trail. Highlights here included Yellow-eared Woodpecker, Scaly-headed Parrot (it's amazing how helpful powerful laser pointers can be in some circumstances!), Planalto Woodcreeper, Eared Pygmy Tyrant and Red-necked Tanager.

Waking up the next morning, the previous day's rain was now a distant memory, so we decided to head up onto the track to Macae de Cima at an altitude of between 1000–1450m. We began our mid-level birding with the potential for a lot of new and different species. Although a bit chilly and with little bird activity first thing in the morning, it soon started to warm up and we began seeing some great birds! Highlights included Black Hawk-Eagle, brief but good views of a single Mantled Hawk that Richard picked up drifting overhead, a very well behaved Scale-throated Hermit that performed well to playback and gave us all a good show, Frilled Coquette (a difficult bird at this time



Blue Manakin by Adam Riley

of year), White-throated Hummingbird, Amethyst Woodstar, Surucua Trogon, Yellow-browed Woodpecker, Chicli and Pallid Spinetails, Orange-eyed Thornbird, White-collared Foliage-gleaner, both Ochre-rumped and Dusky-tailed Antbirds, which gave good views to the whole group, and after some effort, the White-bibbed Antbird finally put in an appearance as well. We also had excellent views of 2 Shear-tailed Grey Tyrants, 5 Bare-throated Bellbirds, which put on a great display with their continuous “clanging” throughout the day, Serra do Mar Tyrant-Manakin, White-necked Thrush, many Crested Oropendolas in their nesting tree, and Green-winged Saltator.



Plovercrest by Adam Riley

The following morning we awoke to another dry day, so we decided that this was the day to head on up to the Pico da Caledonia for our excursion of higher altitude birding. Due to Vandersons' great driving, we managed to drive up to an altitude of around 1700m, where we parked the minibus and set off on foot to reach the summit at 2300m. There is no doubt that this was a tough day, but it was also very rewarding – it's all about quality rather than quantity on this trail! It wasn't long before we saw our first small group of Swallow-tailed Cotingas, Plovercrests and Brazilian Ruby. Black-billed Scythebill put on a great show about half way up the mountain, giving excellent views for the whole group. A pair of Giant Antshrikes



also put on a great performance, harassing a family of Rufous-bellied Thrushes, probably going after their young. (It was suggested by Polly at this stage that maybe I should intervene with this attack, but we decided to let nature take its course!) We also managed stunning views of Rufous-tailed Antbird and restored a lot of the groups' faith in tapaculos by getting good views of a single bird! Serra do Mar Tyrannulet showed well as did 2 Velvety Black Tyrants. One of the day's main targets was the very range restricted Grey-winged Cotinga. We put in a lot of time for this bird during the first part of the day, but unfortunately with no success, so we continued on our way up the mountain for our first chance of seeing Itatiaia Thistletail. We arrived at the 620 steps and started the slow climb towards the top, playing the thistletail intermittently to see if we could get a response.

Thankfully, on step 131 (approximately!) we managed to see a single bird, which eventually showed very well! Content in having seen this bird without having to go all the way to the top, we turned around and started heading back down to have lunch on a grassy area where we would be able to scan for Grey-winged Cotinga... and did we do some scanning! But, once again, without success.... We then carried on down, obtaining more views of Diademed Tanagers before reaching the final area where we still had a chance of seeing the Grey-winged Cotinga, since it doesn't exist below this point. After some playback we eventually got a response: it was close, but not visible, so



Bertoni's Antbird by Adam Riley

we scanned for a further 40 minutes and finally ... YES ... there it was! We quickly put the scope on it, and the group had quick looks ... and then came back for seconds ... and thirds ... and even fourths! The bird ended up staying on the same perch for over 15 minutes!! We also had views of Black-and-gold Cotingas and Bay-chested Warbling Finches during the day. We continued on down to the minibus and took a short drive to another spot, where we had good views of nesting Swallow-tailed Cotingas with chicks, Hooded Siskin and 3 Red-legged Seriemas.



Swallow-tailed Hummingbird by Markus Lilje

The next morning was spent on the Theodoro Trail. We returned to the lodge for lunch, and then moved onto the Water Box trail at the lodge itself for the remainder of the afternoon. Highlights included White-browed, Black-capped and White-collared Foliage-gleaners, Sharp-tailed Streamcreeper, Sharp-billed Treehunter, White-throated, Lesser and Scaled Woodcreepers, Spot-backed Antshrike, Spot-breasted Antwren, Ferruginous and Bertoni's Antbirds, Streak-capped Antwren, great views of Rufous-capped Antthrush, Black-cheeked Gnateater, Sharpbill (some of the group had been waiting a long time for this one!), Greenish Schiffornis, White-rimmed Warbler and 2



## Black-throated Grosbeaks.

The following day was Three-toed Jacamar day! After just over an hour's drive we arrived at our first stop on this great open country birding expedition, with our main target being the range restricted and endemic Three-toed Jacamar. We managed to see a total of 96 species during the day! Highlights included no less than 5 Three-toed Jacamars (!), Lesser Yellow-headed Vulture, White-tailed Hawk, Blackish Rail, Guira Cuckoo, Planalto Hermit, Swallow-tailed Hummingbird, Glittering-bellied and Sapphire-spangled Emeralds, Aplomado Falcon, 6 Blue-winged Macaws, Yellow-chinned Spinetails (showing their yellow chins!), Firewood-gatherer, Rufous-capped Antshrike, great views of Serra Antwren, 2 Crested Black Tyrants, Streamer-tailed Tyrant (which put on a good show after taking a little while to find), Green-backed Becard, Tawny-headed and several White-rumped Swallows, Masked Yellowthroat, White-browed Blackbird, Grassland Sparrow, stunning Gilt-edged Tanagers (a firm favourite with the group!) and White-bellied Seedeater.



Saffron Toucanet by Adam Riley

Waking up on our last full day, we set off for a morning trip to bird the trail at the Portao Azul (blue gate). Upon arrival, it started to rain quite heavily ... though thankfully it soon stopped and by the end of the morning the sun was shining! As we were now nearing the end of our trip there were not as many target species still remaining; however, we still had a few key species that we needed to pick up. Highlights of the morning included Dusky-legged Guan, Grey-headed and Plumbeous Kites, Planalto Hermit, Glittering-bellied Emerald, Saffron Toucanet, Buff-browed Foliage-gleaner, Grey-hooded Flycatcher, Drab-breasted Bamboo Tyrant, Swainson's Flycatcher and, after a lot of effort, we managed to finally locate the elusive Half-collared Sparrow ... only to then find one out in the open, which gave seriously good upgraded views for the group! We also had good views of the beautiful Magpie Tanager, Gilt-edged Tanager, Uniform Finch and Green-winged Saltator.



Streamer-tailed Tyrant by Adam Riley

We then headed back to the lodge for lunch and walked the extension trail in the afternoon. This turned out to be a great afternoon's birding, picking up a few new species, but also managing fantastic views of species we had already seen, giving some good photographic opportunities! Highlights from this afternoon included 5 Spot-billed Toucanets, White-eyed Foliage-gleaner, Scaled Antbird, Black-cheeked Gnateater, Grey-hooded Flycatcher and Pin-tailed Manakin.

On our final day we spent the best part of our time birding the trails, photographing in the lodge grounds, or simply relaxing before



starting the return journey home in the late afternoon. Richard managed to add another 2 birds to the groups' list this morning, the first being 3 Blue-bellied Parrots, a really tough bird to see ... let alone photograph! He also flushed a Spot-winged Wood Quail on one of the trails, while Polly managed to see a Rufous-breasted Hermit. Other highlights included Rufous-capped Motmot, Spot-billed Toucanet, Channel-billed Toucan, Blond-crested Woodpecker, Plain-winged and White-throated Woodcreepers, Spot-breasted Antwreio and Black-cheeked Gnateater, while Paul and Polly caught up with a Whiskered Myiobius and Howard and Janet managed to see a male Flame-crested Tanager.

And so ended our short yet wonderfully relaxing tour of the magnificent Serra dos Tucanos area!

**Total species recorded 275 (of which 90 were Atlantic forest endemics and 17 were heard only)**

### Full species list follows:

The list follows the taxonomic order of the IOC (International Ornithologists' Union).  
Species in bold are endemic to the Atlantic rain forest.  
Species with an \* are endemic to Brazil.

### BIRD SPECIES (Scientific name)

#### TINAMOUS

**SOLITARY TINAMOU**  
BROWN TINAMOU  
TATAUPA TINAMOU

*Tinamus solitarius* HEARD ONLY  
*Crypturellus obsoletus* HEARD ONLY  
*C. tataupa* HEARD ONLY

#### GUANS

DUSKY-LEGGED GUAN

*Penelope obscura*

#### NEW WORLD QUAILS

**SPOT-WINGED WOOD-QUAIL**

*Odontophorus capueira*

#### DUCKS

BLACK-BELLIED WHISTLING-DUCK  
MUSCOVY DUCK  
BRAZILIAN TEAL

*Dendrocygna autumnalis*  
*Cairina moschata*  
*Amazonetta brasiliensis*

#### GREBES

PIED-BILLED GREBE

*Podilymbus podiceps*

#### HERONS

RUFESCENT TIGER HERON  
BLACK-CROWNED NIGHT HERON  
STRIATED HERON  
WESTERN CATTLE EGRET  
COCOI HERON

*Tigrisoma lineatum*  
*Nycticorax nycticorax*  
*Butorides striatus*  
*Bubulcus ibis*  
*Ardea cocoi*



---

GREAT EGRET	<i>A. alba</i>
CAPPED HERON	<i>Pilherodius pileatus</i>
WHISTLING HERON	<i>Syrigma sibilatrix</i>
SNOWY EGRET	<i>Egretta thula</i>

**FRIGATEBIRDS**

MAGNIFICENT FRIGATEBIRD	<i>Fregata magnificens</i>
-------------------------	----------------------------

**CORMORANTS**

NEOTROPIC CORMORANT	<i>Phalacrocorax brasilianus</i>
---------------------	----------------------------------

**ANHINGAS**

ANHINGA	<i>Anhinga anhinga</i>
---------	------------------------

**NEW WORLD VULTURES**

TURKEY VULTURE	<i>Cathartes aura</i>
LESSER YELLOW-HEADED VULTURE	<i>C. burrovianus</i>
BLACK VULTURE	<i>Coragyps atratus</i>

**KITES, HAWKS AND EAGLES**

GRAY-HEADED KITE	<i>Leptodon cayanencis</i>
PLUMBEOUS KITE	<i>Ictinia plumbea</i>
RUFIOUS-THIGHED HAWK	<i>Accipiter erythromeni</i>
<b>MANTLED HAWK</b>	<i>Leucopternis polionotus</i>
SAVANNA HAWK	<i>Buteogallus meridionalis</i>
ROADSIDE HAWK	<i>Buteo magnirostris</i>
SHORT-TAILED HAWK	<i>B. brachyurus</i>
WHITE-TAILED HAWK	<i>B. albicaudatus</i>
BLACK HAWK-EAGLE	<i>Spizaetus tyrannus</i>

**CARACARAS AND FALCONS**

SOUTHERN CRESTED CARACARA	<i>Caracara plancus</i>
YELLOW-HEADED CARACARA	<i>Milvago chimachima</i>
AMERICAN KESTREL	<i>Falco sparverius</i>
APLOMADO FALCON	<i>F. femoralis</i>

**SERIEMAS**

RED-LEGGED SERIEMA	<i>Cariama cristata</i>
--------------------	-------------------------

**RAILS, CRAKES AND COOTS**

RUFIOUS-SIDED CRAKE	<i>Laterallus melanophaius</i>
<b>SLATY-BREASTED WOOD RAIL</b>	<i>Aramides saracura</i>
BLACKISH RAIL	<i>Pardirallus nigricans</i>
PURPLE GALLINULE	<i>Porphyrio martinica</i>
COMMON MOORHEN	<i>Gallinula chloropus</i>

**PLOVERS**

SOUTHERN LAPWING	<i>Vanellus chilensis</i>
------------------	---------------------------



**JACANAS**

WATTLED JACANA

*Jacana jacana***SANDPIPERS AND SNIPES**

SOLITARY SANDPIPER

*Tringa solitaria***PIGEONS AND DOVES**

ROCK DOVE

*Columba livia*

PICAZURO PIGEON

*Patagioenas picazuro*

PALE-VENTED PIGEON

*P. cayennensis*

PLUMBEOUS PIGEON

*P. plumbea*

RUDDY GROUND-DOVE

*Columbina talpacoti*

WHITE-TIPPED DOVE

*Leptotila verreauxi* HEARD ONLY**PARROTS**

BLUE-WINGED MACAW

*Primolius maracana*

WHITE-EYED PARAKEET

*Aratinga leucophthalmus*

MAROON-BELLIED PARAKEET

*Pyrrhura frontalis*

BLUE-WINGED PARROTLET

*Forpus xanthopterygius*

PLAIN PARAKEET

*Brotogeris tirica*\*

SCALY-HEADED PARROT

*Pionus maximiliani*

BLUE-BELLIED PARROT

*Triclarina malachitacea*\***CUCKOOS**

GUIRA CUCKOO

*Guira guira*

GREATER ANI

*Crotophaga major*

SMOOTH-BILLED ANI

*C. ani*

SQUIRREL CUCKOO

*Piaya cayana***OWLS**

BURROWING OWL

*Athene cunicularia***SWIFTS**

WHITE-COLLARED SWIFT

*Streptoprocne zonaris*

GREY-RUMPED SWIFT

*Chaetura cinereiventris*

SICK'S SWIFT

*C. meridionalis***HUMMINGBIRDS**

SAW-BILLED HERMIT

*Ramphodon naevius*\*

RUFIOUS -BREASTED HERMIT

*Glaucis hirsutus*

SCALE-THROATED HERMIT

*Phaethornis eurynome*

PLANALTO HERMIT

*P. pretrei*

REDDISH HERMIT

*P. ruber* HEARD ONLY

SOMBRE HUMMINGBIRD

*Aphantochroa cirrhochloris*\*

SWALLOW-TAILED HUMMINGBIRD

*Eupetomena macroura*

BLACK JACOBIN

*Florisuga fusca*

PLOVERCREST

*Stephanoxis lalandi*

FRILLED COQUETTE

*Lophornis magnificus*\*

GLITTERING-BELLIED EMERALD

*Chlorostilbon lucidus*

VIOLET-CAPPED WOODNYMPH

*Thalurania glaucopis*



---

WHITE-CHINNED SAPPHIRE	<i>Hylocharis cyanus</i>
<b>WHITE-THROATED HUMMINGBIRD</b>	<i>Leucochloris albicollis</i>
VERSCOLORED EMERALD	<i>Amazila versicolor</i>
SAPPHIRE-SPANGLED EMERALD	<i>A. lactea</i>
<b>BRAZILIAN RUBY</b>	<i>Clytolaema rubricauda*</i>
AMETHYST WOODSTAR	<i>Calliphlox amethystine</i>

**TROGONS**

SURUCUA TROGON	<i>Trogon surrucura</i>
BLACK-THROATED TROGON	<i>T. rufus</i> HEARD ONLY

**KINGFISHERS**

AMAZON KINGFISHER	<i>Chloroceryle amazona</i>
RINGED KINGFISHER	<i>Megaceryle torquata</i>

**MOTMOTS**

<b>RUFOUS-CAPPED MOTMOT</b>	<i>Baryphthengus ruficapillus</i>
-----------------------------	-----------------------------------

**JACAMARS**

<b>THREE-TOED JACAMAR</b>	<i>Jacamaralecyon tridactyla*</i>
RUFOUS-TAILED JACAMAR	<i>Galbula ruficauda</i>

**PUFFBIRDS**

<b>CRESCENT-CHESTED PUFFBIRD</b>	<i>Malacoptila striata*</i>
----------------------------------	-----------------------------

**TOUCANS**

<b>SAFFRON TOUCANET</b>	<i>Pteroglossus bailloni</i>
<b>SPOT-BILLED TOUCANET</b>	<i>Selenidera maculirostris</i>
CHANNEL-BILLED TOUCAN	<i>Rhamphastos vitellinus</i>
TOCO TOUCAN	<i>R. toco</i>

**WOODPECKERS**

WHITE-BARRED PICULET	<i>Picumnus cirratus</i>
<b>YELLOW-EARED WOODPECKER</b>	<i>Veniliornis maculifrons*</i>
<b>YELLOW-BROWED WOODPECKER</b>	<i>Piculus aurulentus</i>
CAMPO FLICKER	<i>Colaptes campestris</i>
BLOND-CRESTED WOODPECKER	<i>Celeus flavescens</i>

**OVENBIRDS**

BAND-TAILED HORNERO	<i>Furnarius figulus*</i>
RUFOUS HORNERO	<i>F. rufus</i>
<b>ITATIAIA SPINETAIL</b>	<i>Asthenes moreirae*</i>
<b>RUFOUS-CAPPED SPINETAIL</b>	<i>Synallaxis ruficapilla</i>
GRAY-BELLIED SPINETAIL	<i>S. cinerascens</i>
SPIXI'S SPINETAIL	<i>S. spixi</i>
<b>PALLID SPINETAIL</b>	<i>Cranioleuca pallida*</i>
YELLOW-CHINNED SPINETAIL	<i>Certhiaxis cinnamomeus</i>
RUFOUS-FRONTED THORNBIRD	<i>Phacellodomus rufifrons</i>
<b>ORANGE-EYED THORNBIRD</b>	<i>P. erythrophthalmus*</i>



<b>FIREWOOD-GATHERER</b>	<i>Anumbius annumbi</i>
<b>WHITE-BROWED FOLIAGE GLEANER</b>	<i>Anabacerthia amaurotis*</i>
<b>BUFF-BROWED FOLIAGE-GLEANER</b>	<i>Syndactyla rufosupercileatus</i>
<b>OCHRE-BREASTED FOLIAGE-GLEANER</b>	<i>Philydor lichtensteini</i> HEARD ONLY
<b>BLACK-CAPPED FOLIAGE-GLEANER</b>	<i>P. atricapillus</i>
<b>BUFF-FRONTED FOLIAGE-GLEANER</b>	<i>P. rufum</i>
<b>WHITE-COLLARED FOLIAGE-GLEANER</b>	<i>Anabezenops fuscus*</i>
<b>PALE-BROWED TREEHUNTER</b>	<i>Cichlocolaptes leucophrus*</i>
<b>WHITE-EYED FOLIAGE-GLEANER</b>	<i>Automolus leucophthalmus</i>
<b>RUFIOUS-BREASTED LEAFTOSSER</b>	<i>Sclerurus scansor</i> HEARD ONLY
<b>SHARP-TAILED STREAMCREEPER</b>	<i>Lochmias nematura</i>
<b>SHARP-BILLED TREEHUNTER</b>	<i>Heliobletus contaminatus</i>
<b>PLAIN XENOPS</b>	<i>Xenops minutus</i>
<b>STREAKED XENOPS</b>	<i>X. rutilans</i>
<b>PLAIN-WINGED WOODCREEPER</b>	<i>Dendrocincla turdina*</i>
<b>OLIVACEOUS WOODCREEPER</b>	<i>Sittasomus griseicapillus</i>
<b>WHITE-THROATED WOODCREEPER</b>	<i>Xiphocolaptes albicollis</i>
<b>PLANALTO WOODCREEPER</b>	<i>Dendrocolaptes platyrostris</i>
<b>LESSER WOODCREEPER</b>	<i>Xiphorhynchus fuscus</i>
<b>SCALED WOODCREEPER</b>	<i>Lepidocolaptes squamatus*</i>
<b>BLACK-BILLED SCYTHEBILL</b>	<i>Campylorhamphus falcularius</i>

### ANTBIRDS

<b>SPOT-BACKED ANTSHRIKE</b>	<i>Hypoedaleus guttatus</i>
<b>GIANT ANTSHRIKE</b>	<i>Batara cinerea</i>
<b>LARGE-TAILED ANTSHRIKE</b>	<i>Mackenziaena leachii</i> HEARD ONLY
<b>WHITE-BEARDED ANTSHRIKE</b>	<i>Biatas nigropectus</i> HEARD ONLY
<b>CHESTNUT-BACKED ANTSHRIKE</b>	<i>Thamnophilus palliatus</i>
<b>SOORETAMA SLATY ANTSHRIKE</b>	<i>T. ambiguus*</i>
<b>VARIABLE ANTSHRIKE</b>	<i>T. caerulescens</i>
<b>RUFIOUS-CAPPED ANTSHRIKE</b>	<i>T. ruficapillus</i>
<b>SPOT-BREASTED ANTVIREO</b>	<i>Dysithamnus stictothorax</i>
<b>PLAIN ANTVIREO</b>	<i>D. mentalis</i>
<b>STAR-THROATED ANTWREN</b>	<i>Myrmotherula gularis*</i>
<b>SILVERY-FLANKED ANTWREN</b>	<i>M. luctuosa*</i>
<b>UNICOLORED ANTWREN</b>	<i>M. unicolor*</i>
<b>RUFIOUS-WINGED ANTWREN</b>	<i>Herpsilochmus rufimarginatus</i> HEARD ONLY
<b>SERRA ANTWREN</b>	<i>Formicivora serrana*</i>
<b>FERRUGINOUS ANTBIRD</b>	<i>Drymophila ferruginea*</i>
<b>BERTONI'S ANTBIRD</b>	<i>D. rubricollis</i>
<b>RUFIOUS-TAILED ANTBIRD</b>	<i>D. genei*</i>
<b>OCHRE-RUMPED ANTBIRD</b>	<i>D. ochropyga*</i>
<b>DUSKY-TAILED ANTBIRD</b>	<i>D. malura</i>
<b>SCALED ANTBIRD</b>	<i>D. squamata*</i>
<b>STREAK-CAPPED ANTWREN</b>	<i>Terenura maculata</i>
<b>WHITE-SHOULDERED FIRE-EYE</b>	<i>Pyriglena leucoptera</i>
<b>WHITE-BIBBED ANTBIRD</b>	<i>Myrmeciza loricata*</i>

### ANTTHRUSHES

<b>RUFIOUS-CAPPED ANTTHRUSH</b>	<i>Formicarius colma</i>
<b>CRYPTIC ANTTHRUSH</b>	<i>Chamaeza meruloides*</i> HEARD ONLY
<b>RUFIOUS-TAILED ANTTHRUSH</b>	<i>C. ruficauda*</i> HEARD ONLY



**ANTPITTAS**

VARIEGATED ANTPITTA

*Grallaria varia* HEARD ONLY**GNATEATERS****RUFIOUS GNATEATER***Conopophaga lineata***BLACK-CHEEKED GNATEATER***C. melanops*\***TAPACULOS****MOUSE-COLORED TAPACULO***Scytalopus speluncae*\***TYRANT FLYCATCHERS**

PLANALTO TYRANNULET

*Phyllomyias fasciatus***GREY-CAPPED TYRANNULET***P. griseocapillus*\*

YELLOW-BELLIED ELAENIA

*Elaenia flavogaster*

OLIVACEOUS ELAENIA

*E. mesoleuca*

SOUTHERN BEARDLESS TYRANNULET

*Camptostoma obsoletum*

YELLOW TYRANNULET

*Capsiempis flaveola*

MOTTLE-CHEEKED TYRANNULET

*Phylloscartes ventralis***SERRA DO MAR TYRANNULET***P. difficilis*\*

OCHRE-BELLIED FLYCATCHER

*Mionectes oleaginous***GRAY-HOODED FLYCATCHER***M. rufiventris*

SEPIA-CAPPED FLYCATCHER

*Leptopogon amaurocephalus*

BRAN-COLORED FLYCATCHER

*Myiophobus fasciatus***DRAB-BREASTED BAMBOOTYRANT***Hemitriccus diops***EYE-RINGED TODY-TYRANT***H. orbitatus*\***EARED PYGMY-TYRANT***Myiornis auricularis*

OCHRE-FACED TODY-FLYCATCHER

*Poecilatriccus plumbeiceps***YELLOW-LORED TODY-FLYCATCHER***Todirostrum poliocephalum*\*

COMMON TODY-FLYCATCHER

*T. cinereum*

YELLOW-OLIVE FLATBILL (FLYCATCHER)

*Tolmomyias sulphurescens*

WHITE-THROATED SPADEBILL

*Platyrinchus mystaceus*

CLIFF FLYCATCHER

*Hirundinea ferruginea*

EULER'S FLYCATCHER

*Lathrotriccus euleri*

BLUE-BILLED BLACK TYRANT

*Knipolegus cyanirostris*

CRESTED BLACK TYRANT

*K. lophotes***VELVETY BLACK TYRANT***K. nigerrimus*\*

YELLOW-BROWED TYRANT

*Satrapa icterophrys*

WHITE-RUMPED MONJITA

*Xolmis velatus*

STREAMER-TAILED TYRANT

*Gubernetes yetapa***SHEAR-TAILED GRAY TYRANT***Muscipipra vetula*

MASKED WATER TYRANT

*Fluvicola nengeta*

WHITE-HEADED MARSH TYRANT

*Arundinicola leucocephala*

LONG-TAILED TYRANT

*Colonia colonus*

CATTLE TYRANT

*Machetornis rixosa*

PIRATIC FLYCATCHER

*Legatus leucophaeus*

SOCIAL FLYCATCHER

*Myiozetetes similis*

GREAT KISKADEE

*Pitangus sulphuratus*

STREAKED FLYCATCHER

*Myiodynastes maculatus*

BOAT-BILLED FLYCATCHER

*Megarhyncus pitangua*

VARIEGATED FLYCATCHER

*Empidonomus varius*

TROPICAL KINGBIRD

*Tyrannus melancholicus*

---

FORK-TAILED FLYCATCHER	<i>T. savanna</i>
SWAINSON'S FLYCATCHER	<i>Myiarchus swainsoni</i>
SHORT-CRESTED FLYCATCHER	<i>M. ferox</i>
GRAY-HOODED ATTLA	<i>Attila rufus*</i>

**COTINGAS**

HOODED BERRYEATER	<i>Carpornis cucullata*</i> HEARD ONLY
BARE-THROATED BELLBIRD	<i>Procnias nudicollis</i>
BLACK AND GOLD COTINGA	<i>Tijuca atra*</i>
GREY-WINGED COTINGA	<i>T. condita*</i>

**MANAKINS**

SERRA DO MAR TYRANT- MANAKIN	<i>Neopelma chrysolophum*</i>
PIN-TAILED MANAKIN	<i>Ilicura militaris*</i>
WHITE-BEARDED MANAKIN	<i>Manacus manacus</i>
BLUE MANAKIN	<i>Chiroxiphia caudata</i>

**TITYRAS AND BECARDS**

SHARPBILL	<i>Oxyruncus cristatus</i>
WHISKERED MYIOBIUS (FLYCATCHER)	<i>Myiobius barbatus</i>
GREENISH SCHIFFORNIS	<i>Schiffornis virescens</i>
GREEN-BACKED BECARD	<i>Pachyramphus viridis</i>
CHESTNUT-CROWNED BECARD	<i>P. castaneus</i>
WHITE-WINGED BECARD	<i>P. polychopterus</i>

**UNCERTAIN FAMILY**

SWALLOW-TAILED COTINGA	<i>Phibalura flavirostris</i>
------------------------	-------------------------------

**VIREOS AND GREENLETS**

RUFIOUS-BROWED PEPPER SHRIKE	<i>Cyclarhis gujanensis</i>
RED-EYED VIREO	<i>Vireo olivaceus</i>
RUFIOUS-CROWNED GREENLET	<i>Hylophilus poicilotis</i>
LEMON-CHESTED GREENLET	<i>H. thoracicus</i>

**JAYS**

CURL-CRESTED JAY	<i>Cyanocorax cristatellus</i> HEARD ONLY
------------------	---

**SWALLOWS AND MARTINS**

WHITE-RUMPED SWALLOW	<i>Tachycineta leucorrhoa</i>
BROWN-CHESTED MARTIN	<i>Progne tapera</i>
BLUE-AND-WHITE SWALLOW	<i>Notiochelidon cyanoleuca</i>
SOUTHERN ROUGH-WINGED SWALLOW	<i>Stelgidopteryx ruficollis</i>
TAWNY-HEADED SWALLOW	<i>Alopochelidon fucata</i>

**DONACOBIUS**

BLACK-CAPPED DONACOBIUS	<i>Donacobius atricapilla</i>
-------------------------	-------------------------------

**WRENS**

---

LONG-BILLED WREN *Cantorchilus longirostris\**  
HOUSE WREN *Troglodytes aedon*

**MOCKINGBIRDS**

CHALK-BROWED MOCKINGBIRD *Mimus saturninus*

**THRUSHES**

YELLOW-LEGGED THRUSH *Turdus flavipes*  
RUFIOUS-BELLIED THRUSH *T. rufiventris*  
PALE-BREASTED THRUSH *T. leucomelas*  
CREAMY-BELLIED THRUSH *T. amaurochalinus*  
WHITE-NECKED THRUSH *T. albicollis*

**WAXBILLS**

COMMON WAXBILL *Estrilda astrild*

**FINCHES**

VIOLACEOUS EUPHONIA *Euphonia violacea*  
ORANGE-BELLIED EUPHONIA *E. xanthogaster*  
**CHESTNUT-BELLIED EUPHONIA** *E. pectoralis*  
BLUE-NAPED CHLOROPHONIA *Chlorophonia cyanea*  
HOODED SISKIN *Carduelis magellanica*

**NEW WORLD WARBLERS**

MASKED YELLOWTHROAT *Geothlypis aequinoctialis*  
**WHITE-RIMMED WARBLER** *Myiothlypis leucoblephara*  
GOLDEN-CROWNED WARBLER *Basileuterus culicivorus*

**OROPENDOLAS AND BLACKBIRDS**

CRESTED OROPENDOLA *Psarocolius decumanus*  
RED-RUMPED CACIQUE *Cacicus haemorrhous*  
CHOPI BLACKBIRD *Gnorimopsar chopi*  
CHESTNUT-CAPPED BLACKBIRD *Chrysomus ruficapillus*  
GIANT COWBIRD *Molothrus oryzivora*  
SHINY COWBIRD *M. bonariensis*  
WHITE-BROWED BLACKBIRD *Sturnella superciliaris*

**BANANAQUIT**

BANANAQUIT *Coereba flaveola*

**NEW WORLD SPARROWS**

RUFIOUS-COLLARED SPARROW *Zonotrichia capensis*  
GRASSLAND SPARROW *Ammodramus humeralis*  
**HALF-COLLARED SPARROW** *Arremon semitorquatus\**

**TANAGERS AND ALLIES**

RED-COWLED CARDINAL *Paroaria dominicana*  
MAGPIE TANAGER *Cissopis leverianus*  
HOODED TANAGER *Nemosia pileata*



---

<b>OLIVE-GREEN TANAGER</b>	<i>Orthogonys chloricterus*</i>
BLACK-GOGGLED TANAGER	<i>Trichothraupis melanops</i>
FLAME-CRESTED TANAGER	<i>Tachyphonus cristatus</i>
<b>RUBY-CROWNED TANAGER</b>	<i>T. coronatus</i>
<b>BRAZILIAN TANAGER</b>	<i>Ramphocelus bresilius</i>
SAYACA TANAGER	<i>Thraupis sayaca</i>
<b>GOLDEN-CHEVRONED TANAGER</b>	<i>T. ornata*</i>
PALM TANAGER	<i>T. palmarum</i>
DIADEMED TANAGER	<i>Stephanophorus diadematus</i>
<b>GREEN-HEADED TANAGER</b>	<i>Tangara seledon</i>
<b>RED-NECKED TANAGER</b>	<i>T. cyanocephala</i>
<b>BRASSY-BREASTED TANAGER</b>	<i>T. desmaresti*</i>
<b>GILT-EDGED TANAGER</b>	<i>T. cyanoventris*</i>
BURNISHED-BUFF TANAGER	<i>T. cayana</i>
BLUE DACNIS	<i>Dacnis cayana</i>
GREEN HONEYCREEPER	<i>Chlorophanes spiza</i>
<b>RUFIOUS-HEADED TANAGER</b>	<i>Hemithraupis ruficapilla*</i> HEARD ONLY
YELLOW-BACKED TANAGER	<i>H. flavicollis</i>
CHESTNUT-VENTED CONEBILL	<i>Conirostrum speciosum</i>
<b>UNIFORM FINCH</b>	<i>Haplospiza unicolor</i>
<b>BAY-CHESTED WARBLING FINCH</b>	<i>Poospiza thoracica*</i>
SAFFRON FINCH	<i>Sicalis flaveola</i>
BLUE-BLACK GRASSQUIT	<i>Volatinia jacarina</i>
DOUBLE-COLLARED SEEDEATER	<i>Sporophila caerulescens</i>
WHITE-BELLIED SEEDEATER	<i>S. leucoptera</i>

### CARDINALS, GROSBEAKS AND ALLIES

RED-CROWNED ANT TANAGER	<i>Habia rubica</i>
<b>BLACK-THROATED GROSBEAK</b>	<i>Saltator fuliginosus</i>
GREEN-WINGED SALTATOR	<i>S. similis</i>
HOUSE SPARROW	<i>Passer domesticus</i>

**Rockjumper Birding Ltd**  
**c/o Summit Trust Mtius Ltd**  
**Suite 3 Grand Baie Business Park**  
**Grand Baie, Mauritius**  
**Tel (USA & Canada) toll free: 1-888-990-5552**  
**Email: [private@rockjumperbirding.com](mailto:private@rockjumperbirding.com)**  
**Alternative Email: [rockjumperbirding@yahoo.com](mailto:rockjumperbirding@yahoo.com)**  
**Website: [www.rockjumperbirding.com](http://www.rockjumperbirding.com)**

