
Brazil

29 November-9 December 2009

Participants:

Brian and Helena Barrett Christopher and Ursula Brookes Jonathan and Gillian Burrell David Matthews Stephen Williams

Leader: Pete Forrest



Dusky-legged Guan

Day 1: Departure from the UK.

<u>Day 2</u>: The group were picked up from Rio de Janeiro airport and transferred to Serra dos Tucanos Lodge. Species seen on the transfer included the following; Cocoi Heron, Kelp Gull, Neotropic Cormorant and Magnificent Frigatebird. On arrival at the lodge the group quickly settled into birding the gardens and watching many species of tanagers feeding at the bird tables and studying the several species of hummingbirds that regularly come to the sugar feeders on the verandas. **Species of note for the day included:** Maroon-bellied Parakeet, Plain Parakeet, Sombre Hummingbird, Black Jacobin, Violet-capped Woodnymph, Blond-crested Woodpecker, Grey-capped Tyrannulet, and Green-headed, Red-necked, Golden-chevroned, Brazilian and Ruby-crowned Tanagers.

<u>Day 3:</u> Clear skies meant an attempt at higher altitudes was warranted. The morning was spent on the upper section of the Pico de Caledonia access road. After lunch we birded the lower section. **Species of note for the day included:** Slaty-breasted Wood-rail, Red-legged Seriema, Plovercrest, White-throated Hummingbird, Yellow-browed Woodpecker, Scaled Woodcreeper, Pallid Spinetail, Large-tailed Antshrike, Swallow-tailed Cotinga, Black-and-gold Cotinga, Serra do Mar Tyrannulet, Diademed Tanager, Bay-chested Warbling-finch, and Thick-billed Saltator.

<u>Day 4:</u> After breakfast we made the one-hour drive to the Serra dos Orgaos National Park. The first couple of hours were spent in the lower section and the rest of the day was spent in the upper section of the park. **Species of note for the day included:** Mantled Hawk, Rufous-capped Motmot, Yellow-throated Woodpecker, Lesser & White-throated Woodcreepers, White-browed Foliage-gleaner, Star-throated Antwren, White-shouldered Fire-eye, Hooded Berryeater, Blue Manakin, Eye-ringed Tody-tyrant, and White-rimmed Warbler.

<u>Day 5:</u> After breakfast we drove the 20 minutes to the start of the Theodora trail. In the afternoon we birded the lodge trails. **Species of note for the day included:** Saw-billed Hermit, Scale-throated Hermit, Frilled Coquette, Bertoni's Antbird, and Gilt-edged Tanager.

<u>Day 6:</u> The morning was spent at the Portao Azul trail about one hours drive from the lodge. The planned afternoon excursion to Macae de Cima was cancelled due to the exceptionally heavy rain, which had set in late morning. **Species of note for the day included:** Dusky-tailed Antbird, Serra do Mar Tyrant-manakin, Pintailed Manakin, and Gilt-edged Tanager.

<u>Day 7:</u> The morning was spent at the Regua wetland reserve. After lunch the group birded the Cedae trail. **Species of note for the day included:** Yellow-eared Woodpecker, Black-capped foliage-gleaner, Sooretama Slaty-antshrike, White-flanked Antwren, Black-cheeked Gnateater, and Long-billed Wren.

<u>Day 8:</u> After breakfast the group had a guided walk around the lodge trails. The afternoon was free. **Species of note for the day included:** Saffron Toucanet, Thrush-like Woodcreeper, Spot-breasted Antvireo, and Blackthroated Grosbeak.

<u>Day 9:</u> Jacamar day. Two changes to the normal route were undertaken. The first was a planned short stop at the start of the Macae de Cima trail to see the Bare-throated Bellbird. The second change was an unplanned consequence of the recent heavy rain, which had left the Duas Barras track impassable resulting in a long, time-consuming detour. **Species of note for the day included:** Three-toed Jacamar, Bare-throated Bellbird, Tailbanded Hornero, Firewood Gatherer and Ferruginous Antbird.

<u>Day 10</u>: The group spent the morning around the lodge before departing back to Rio for their flight home at 14.00.

During the groups stay we had a combined total of 222 species seen with a further 12 heard. A total of 66 Atlantic forest endemics were seen.

Pete Forrest Serra dos Tucanos Lodge

FULL SPECIES LIST

Species in bold with a * are endemic to the Atlantic rain forest.

BROWN TINAMOU (Crypturellus obsoletus) - Heard only, at several locations.

LEAST GREBE (*Tachybaptus dominicus*) – Four at the wetland reserve on the 5th.

NEOTROPIC CORMORANT (*Phalacrocorax brasilianus*) – Several seen on the journey up from Rio and one at the wetland reserve.

MAGNIFICENT FRIGATEBIRD (*Fregata magnificens*) – Several were recorded from the Rio – Niteroi bridge on the 3rd.

COCOI HERON (*Ardea cocoi*) – Several were seen on the journey up from Rio on the 3rd.

GREAT EGRET (Ardea alba) – Seen in most wet areas along the roadside when on excursions.

SNOWY EGRET (*Egretta thula*) – Several recorded on the journey up from Rio on the 3rd and one at the wetland reserve on the 5th.

LITTLE BLUE HERON (Egretta caerula) – One was seen on the journey up from Rio on the 3rd.

CATTLE EGRET (*Bubulcus ibis*) – Seen commonly in any suitable habitat.

STRIATED HERON (Butorides striatus) – Two at the wetland reserve and one on the Jacamar excursion.

WHISTLING HERON (*Syrigma sibilatrix*) – Three on the wetland excursion on the 5th.

BLACK-CROWNED NIGHT-HERON (*Nyctiocorax nycticorax*) – Five on the wetland excursion on the 5th.

WHITE-FACED WHISTLING-DUCK (*Dendrocygna viduata*) – Ten on the wetland excursion on the 5th.

BRAZILIAN TEAL (Amazonetta braziliensis) – Seven at the wetland reserve and two on the Jacamar excursion.

BLACK VULTURE (Coragyps atratus) – Seen almost daily, common.

TURKEY VULTURE (Cathartes aura) – Seen almost daily, common.

LESSER YELLOW-HEADED VULTURE (Cathartes burrovianus) – Two at the wetland reserve on the 5th.

PLUMBEOUS KITE (*Ictinia plumbea*) – One on the Jacamar excursion on the 7th.

BICOLOURED HAWK (*Accipter bicolor*) – One at the wetland reserve on the 5th.

* MANTLED HAWK (Leucopternis polionota) - Two at the National Park on the 2nd.

SAVANNA HAWK (Heterospizias meridionalis) - Recorded in small numbers on most excursions.

ROADSIDE HAWK (*Buteo magnirostris*) – Recorded almost daily in small numbers.

WHITE-TAILED HAWK (Buteo albicaudatus) - Four on the Jacamar and one on the high altitude excursions.

BLACK HAWK-EAGLE (Spizaetus tyrannus) - One on the high altitude excursion on the 1st.

SOUTHERN CARACARA (Caracara plancus) - Recorded almost daily from suitable habitats.

YELLOW-HEADED CARACARA (Milvago chimachima) - Recorded almost daily from suitable habitats.

AMERICAN KESTREL (*Falco sparverius*) – One on the drive to the National Park on the 2nd.

DUSKY-LEGGED GUAN (*Penelope obscura*) – Two at the Portao Azul and four on the Jacamar excursion.

LIMPKIN (*Aramus guarauna*) – One on the wetland excursion on the 5th.

* SLATY-BREASTED WOOD-RAIL (Aramides saracura) - Seen on a couple dates at the lodge.

RED-LEGGED SERIEMA (*Cariama cristata*) – Two on the high altitude excursion on the 1st.

PURPLE GALLINULE (*Porphyrio martinica*) – Seen on the wetland and Jacamar excursions.

COMMON MOORHEN (*Gallinula chloropus*) – Seen on the wetland and Jacamar excursions.

WATTLED JACANA (Jacana jacana) – Recorded almost daily in suitable habitats.

SOUTHERN LAPWING (Vanellus chilensis) – Recorded almost daily in suitable habitats.

KELP GULL (Larus dominicanus) - Small numbers were recorded on the journey from Rio.

PICAZURO PIGEON (Patagionas picazuro) – Small numbers recorded most days.

PALE-VENTED PIGEON (Patagionas cayennensis) – Two on the high altitude excursion on the 1st.

RUDDY GROUND-DOVE (*Columbina talpacoti*) – Seen in small numbers almost daily.

WHITE-TIPPED DOVE (*Leptotila verreauxi*) – Heard only, at the wetland reserve.

GREY-FRONTED DOVE (*Leptotila rufaxilla*) – Heard only, at several locations.

RUDDY QUAIL-DOVE (*Geotrygon montana*) – One at the National Park on the 2nd.

WHITE-EYED PARAKEET (Aratinga leucophthalmus) - Flocks of up to eight birds on three dates.

* MAROON- BELLIED PARAKEET (*Pyrrhura frontalis*) – Small numbers recorded in the lodge gardens daily. Also seen on several of the excursions.

BLUE-WINGED PARROTLET (*Forpus crassirostris*) – Two on the Jacamar excursion on the 7th.

* PLAIN PARAKEET (Brotogeris tirica) - Small numbers recorded in the lodge gardens almost daily.

SCALY-HEADED PARROT (*Pionus maximiliani*) – Recorded within the lodge grounds on several occasions, also on several of the excursions.

SQUIRREL CUCKOO (*Piaya cayana*) – One or two birds were recorded almost daily.

SMOOTH-BILLED ANI (Crotophaga ani) – Seen commonly in any suitable habitat.

GUIRA CUCKOO (Guira guira) - Seen commonly in any suitable habitat.

BURROWING OWL (Athene cunicularia) – A pair on the high altitude excursions.

WHITE-COLLARED SWIFT (Stretoprocne zonaris) – Groups of up to one hundred birds recorded almost daily.

* SAW-BILLED HERMIT (Ramphodon naevius) – Recorded almost daily around the lodge.

* SCALE-THROATED HERMIT (Phaethornis eurynome) - Singles on the Theodora and Jacamar excursions.

RUFOUS-BREASTED HERMIT (Glaucis hirsuta) – One at the wetland reserve on the 5th.

SWALLOW-TAILED HUMMINGBIRD (Eupetomena macroura) – Recorded within the lodge grounds on several occasions.

- * BLACK JACOBIN (Melanotrochilus fuscus) Seen daily around the lodge and on several of the excursions.
- * PLOVERCREST (Stephanoxis lalandi) One on the high altitude excursion on the 1st.
- * FRILLED COQUETTE (Lophornis magnificus) One at the lodge on the 3rd.

GLITTERING-BELLIED EMERALD (Chlorostilbon aureoventris) – One on the high altitude excursion on the 1st.

* VIOLET-CAPPED WOODNYMPH (*Thalurania glaucopis*) – Seen almost daily around the lodge and on several of the excursions.

WHITE-CHINNED SAPPHIRE (Hylocharis cyanus) – One at the wetland reserve on the 5th.

* WHITE-THROATED HUMMINGBIRD (Leucochloris albicollis) - Up to three birds daily on four dates.

SAPPHIRE-SPANGLED EMERALD (*Polyerata lacteal*) – One on the Jacamar excursion on the 7th.

- * SOMBRE HUMMINGBIRD (Campylopterus cirrhochloris) Recorded daily at the lodge.
- * BRAZILIAN RUBY (Clytolaema rubricauda) Two at the National Park and one on the Cedae trail.

AMETHYST WOODSTAR (*Calliphlox amethystine*) – One on the high altitude excursion on the 1st.

SURUCUA TROGON (Trogon surrucura) - Seen or heard on most forested excursions.

RINGED KINGFISHER (*Ceryle torquata*) – Three on wetland excursion.

GREEN KINGFISHER (*Chloroceryle Americana*) – One at the lodge on four dates.

- * RUFOUS-CAPPED MOTMOT (Baryphthengus ruficapillus) One at the National Park on the 2nd...
- * THREE-TOED JACAMAR (Jacamaralcyon tridactyla) As usual this bird performed very well with two being seen on the 7th.

WHITE-EARED PUFFBIRD (Hystalus chacuru) – One on the high altitude excursion on the 1st.

* SAFFRON TOUCANET (Baillonius bailloni) – Two at the lodge on the 7th and one there on the 30th.

SPOT-BILLED TOUCANET (*Selenidera maculirostris*) – Up to six daily on four dates.

CHANNEL-BILLED TOUCAN (Rhamphastos vitellinus) – Up to four daily on three dates.

WHITE-BARRED PICULET (*Picumnus cirratus*) – Seen or heard on most forested excursions.

CAMPO FLICKER (*Colaptes campestris*) – Three on the wetland excursion on the 5th.

YELLOW-THROATED WOODPECKER (*Piculus flavigula*) – One at the National Park on the 2nd.

* YELLOW-BROWED WOODPECKER (Piculus auulentus) - One on the high altitude excursion on the 1st.

BLOND-CRESTED WOODPECKER (*Celeus flavescens*) – Recorded almost daily at the lodge.

WHITE WOODPECKER (Melanerpes candidus) – Heard only, on the high altitude excursion.

- * YELLOW-EARED WOODPECKER (Veniliornis maculifrons) One on the Cedae trail on the 5th.
- * TAIL-BANDED HORNERO (Furnarius figulus) One on the Jacamar excursion on the 7th.

RUFOUS HORNERO (Furnarius rufus) – Seen commonly in any suitable habitat.

* RUFOUS-CAPPED SPINETAIL (Synallaxis ruficapilla) – Seen or heard on three dates.

SPIX'S SPINETAIL (*Synallaxis spixi*) – Three on the Theodora trail on the 3rd.

* PALLID SPINETAIL (Cranioleuca pallida) – Two on the high altitude excursion on the 1st.

YELLOW-CHINNED SPINETAIL (Certhiaxis cinnamomea) - Four on the Jacamar excursion and four at the wetland reserve.

* RED-EYED THORNBIRD (Phacellodomus erythrophthalmus) - Two on the high altitude excursion on the 1st.

FIREWOOD-GATHERER (*Anumbius annumbi*) – One on the Jacamar excursion on the 7th.

STREAKED XENOPS (Xenops rutilans) – Up to two daily on four dates.

BUFF-FRONTED FOLIAGE-GLEANER (*Philydor rufus*) – Up to two daily on three dates.

- * BLACK-CAPPED FOLIAGE-GLEANER (Philydor atricapillus) Two on the Cedae trail on the 5th.
- * WHITE-COLLARED FOLIAGE-GLEANER (Anabezenops leucophthalmus) Heard only, on the Jacamar excursion.
- * WHITE-BROWED FOLIAGE-GLEANER (Anabacerthia amaurotis) Five at the National Park and two on the Theodora trail.
- * WHITE-EYED FOLIAGE-GLEANER (Automolus leucophthalmus) Heard only, at the lodge.

TAWNY-THROATED LEAFTOSSER (*Sclerurus mexicanus*) – One at the lodge on the 6th.

SHARP-TAILED STREAMCREEPER (Lochnias nematura) – The breeding pair were regularly seen at the lodge.

- * THRUSH-LIKE WOODCREEPER (*Dendrocincla turdina*) A single at the lodge on the 6th.
- OLIVACEOUS WOODCREEPER (Sittasomus griseicapillus) Recorded almost daily in suitable habitat.
- * WHITE-THROATED WOODCREEPER (Xiphocolaptes albicollis) One at the National Park on the 2nd.
- * LESSER WOODCREEPER (Lepidocolaptes fuscus) Up to two daily on three dates.
- * SCALED WOODCREEPER (Lepidocolaptes squamatus) Two on the high altitude excursion on the 1st.
- **GIANT ANTSHRIKE** (*Batara cinerea*) One on the high altitude excursion on the 1st.
- * LARGE-TAILED ANTSHRIKE (Mackenziaena leachii) One on the high altitude excursion on the 1st.
- **CHESTNUT-BACKED ANTSHRIKE** (*Thamnophilus palliates*) Two at the wetland reserve on the 5th.
- * SOORETAMA SLATY-ANTSHRIKE (Thamnophilus ambiguous) Three at the wetland reserve on the 5th.
- VARIABLE ANTSHRIKE (Thamnophilus caerulescens) Two on the high altitude and one on the Jacamar excursions.
- * SPOT-BREASTED ANTVIREO (Dysithamnus stictothorax) One at the lodge on the 6th.
- PLAIN ANTVIREO (Dysithamnus mentalis) Seen or heard on most forested excursions.
- * STAR-THROATED ANTWREN (Myrmotherula gularis) Heard or seen on most days in forested habitat.
- WHITE-FLANKED ANTWREN (Myrmotherula axillaries) Two at the wetland reserve on the 5th.
- * FERRUGINOUS ANTBIRD (Drymophila ferruginea) A single on the Jacamar excursion on the 7th.
- * BERTONIS ANTBIRD (*Drymophila rubricollis*) One at the National Park on the 3rd.
- * DUSKY-TAILED ANTBIRD (*Drymophila malura*) One at the Portao Azul on the 4th.
- * SCALED ANTBIRD (Drymophila squamata) Heard only, at the lodge.
- * STREAK-CAPPED ANTWREN (Terenura maculata) Heard only, at several locations.
- * WHITE-SHOULDERED FIRE-EYE (Pyriglena leucoptera) Seen or heard on most forested excursions.
- **RUFOUS-CAPPED ANTTHRUSH (Formicarius colma)** One at the lodge on the 1st.
- * RUFOUS GNATEATER (Conopophaga lineate) One on the high altitude excursion on the 1st.
- *BLACK-CHEEKED GNATEATER (Conopophaga melanops) Recorded at the lodge on several dates.
- * SLATY BRISTLEFRONT (Merulaxis ater) One on the Theodora trail on the 3rd.
- * SERRA DO MAR TAPACULO (Scytalopus notorious) One on the high altitude excursion on the 1st.
- **SWALLOW-TAILED COTINGA** (*Phibalura flavirostris*) Three on the high altitude excursion on the 1st.
- * BLACK-AND-GOLD COTINGA (*Tijuca atra*) Heard on several dates and one was seen on the high altitude excursion on the 1st.
- *HOODED BERRYEATER (Carpornis cucullatus) One at the National Park on the 2nd.
- *BARE-THROATED BELLBIRD (Procnias nudicollis) One at the start of the Macae de Cima trail on the 7th.
- WHITE-BEARDED MANAKIN (Manacus manacus) Two at the wetland reserve and one at the lodge.

*BLUE MANAKIN (Chiroxiphia caudata) - Recorded on all trips into the forest, giving very pleasing views on several occasions.

*PIN-TAILED MANAKIN (*Ilicuramilitaris*) – One at the lodge and three at the Portao Azul.

*SERRA TYRANT-MANAKIN (Neopelma chrysolophum) - One at the Portao Azul on the 4th.

SOUTHERN BEARDLESS-TYRANNULET (Camptostoma obsoletum) - One on the high altitude excursion on the 1st.

YELLOW-BELLIED ELAENIA (*Elaenia flavogaster*) – One on the Jacamar excursion on the 7th.

OCHRE-BELLIED FLYCATCHER (*Mionectes oleaginous*) – Heard only, at the lodge.

SEPIA-CAPPED FLYCATCHER (Leptopogon amaurocephalus) – Two on the Theodora trail and one at the National Park.

MOTTLE-CHEEKED TYRANNULET (*Phylloscartes ventralis*) – Two on the high altitude excursion on the 1st.

* OUSTALET'S TYRANNULET (Phylloscartes oustaleti) - One on the Theodora trail on the 3rd.

* SERRA DO MAR TYRANNULET (Phylloscartes difficilis) – One on the high altitude excursion on the 1st.

PLANALTO TYRANNULET (*Phyllomyias fasciatus*) – Three on the high altitude and one on the Portao Azul excursions.

*GREY-CAPPED TYRANNULET (Phyllomyias griseocapilla) – Two at the lodge on the 30th and again on the 3rd.

EARED PYGMY-TYRANT (*Myiornis auricularis*) – One on the Cedae trail on the 5th.

* EYE-RINGED TODY-TYRANT (Hemitriccus orbitatus) - One at the National Park and one at the lodge.

OCHRE-FACED TODY-FLYCATCHER (*Todirostrum plumbeiceps*) – Seen or heard on several excursions.

* YELLOW-LORED TODY-FLYCATCHER (Todirostrum poliocephalum) – Seen or heard on most forested excursions

COMMON TODY-FLYCATCHER (*Todirostrum cinereum*) – One on the Jacamar excursion on the 7th.

WHITE-THROATED SPADEBILL (Platyrinchus mystaceus) – One at the lodge on the 6th.

YELLOW-OLIVE FLYCATCHER (*Tolmomyias sulphurescens*) – One of the commonest flycatchers being seen or heard almost daily.

BRAN-COLORED FLYCATCHER (Myiophobus fasciatus) – One at the Portao Azul on the 4th.

EULER'S FLYCATCHER (*Lathrotriccus euleri*) – One at the National Park on the 2nd.

WHISKERED FLYCATCHER (Myiobius barbatus) - One at the Portao Azul and one on the Jacamar excursion.

CRESTED BLACK-TYRANT (*Knipolegus lophotes*) – One on the Jacamar excursion on the 7th.

MASKED WATER-TYRANT (Fluvicola nengeta) – Recorded daily at the lodge and on several of the excursions.

WHITE-HEADED MARSH-TYRANT (Arundicola leucocephala) – Four at the wetland reserve and two on the Jacamar excursion.

YELLOW-BROWED TYRANT (Satrapa icterophrys) – One on the Jacamar excursion on the 7th.

CATTLE TYRANT (*Machetornis rixosus*) – Four on the Jacamar excursion on the 7th.

- * SHEAR-TAILED GREY-TYRANT (Muscipipra vetula) Four on the high altitude excursion on the 1st.
- * GREY-HOODED ATTILA (Attila rufus) Recorded almost daily at the lodge.

GREAT KISKADEE (Pitangus sulphuratus) – Recorded daily from any suitable habitat.

BOAT-BILLED FLYCATCHER (Megarhyncus pitangua) - Recorded almost daily from any suitable habitat.

SOCIAL FLYCATCHER (Myiozetetes similis) - Recorded almost daily from any suitable habitat.

STREAKED FLYCATCHER (Myiodynastes maculates) – Recorded almost daily at the lodge and on several of the excursions.

SIRYSTES (*Sirystes sibilator*) – Two at the Portao Azul on the 4th.

VARIEGATED FLYCATCHER (Empidonomus varius) - Recorded almost daily from any suitable habitat.

SHORT-CRESTED FLYCATCHER (Myiarchus ferox) – Two on the Jacamar excursion on the 7th.

FORK-TAILED FLYCATCHER (Tyrannus savana) - Seen commonly in any suitable habitat.

TROPICAL KINGBIRD (Tyrannus melancholicus) - Recorded daily from any suitable habitat.

GREEN-BACKED BECARD (*Pachyramphus viridis*) – One at the Portao Azul on the 4th.

CHESTNUT-CROWNED BECARD (Pachyramphus castaneus) - Two at the National Park and three at the Portao Azul.

WHITE-WINGED BECARD (*Pachyramphus polychopterus*) – One at the wetland reserve on the 5th.

SHARPBILL (*Oxyruncus cristatus*) – Heard only, on the Theodora trail.

GREY-BREASTED MARTIN (*Progne chalybea*) – At least five in the local town.

BLUE-AND-WHITE SWALLOW (Pygochelidon cyanoleuca) – Recorded daily from suitable habitats.

SOUTHERN ROUGH-WINGED SWALLOW (Stelgidopteryx ruficollis) – Recorded almost daily from suitable habitats.

BLACK-CAPPED DONACOBIUS (Donacobius atricapillus) - Singles on the Jacamar and wetland excursions.

* LONG-BILLED WREN (Thryothorus longirostris) – Two at the wetland reserve on the 5th.

HOUSE WREN (*Troglodytes aedon*) – Recorded daily from any suitable habitat.

CHALK-BROWED MOCKINGBIRD (Mimus saturninus) - Common in any open scrubland habitat.

YELLOW-LEGGED THRUSH (Platycichla flavipes) - Four on the high altitude excursion on the 1st.

RUFOUS-BELLIED THRUSH (Turdus rufiventris) - Recorded daily from any suitable habitat.

PALE-BREASTED THRUSH (Turdus leucomelas) – Recorded most days at the lodge and on several of the excursions.

CREAMY-BELLIED THRUSH (*Turdus amaurochalinus*) – Recorded most days at the lodge and on several of the excursions.

COMMON WAXBILL (*Estrilda astrild*) – Four on the Jacamar excursion on the 7th.

RUFOUS-BROWED PEPPERSHRIKE (Cyclarhis gujanensis) – Recorded almost daily from suitable forest habitat.

RED-EYED VIREO (*Vireo olivaceous*) – Heard only, at several locations.

RUFOUS-CROWNED GREENLET (Hylophilus poecilotis) - Up to six daily on four dates.

GOLDEN-CROWNED WARBLER (Basileuterus culicivorus) - Recorded almost daily from any suitable forested habitat.

* WHITE-RIMMED WARBLER (Basileuterus leucoblepharus) – Recorded almost daily from any suitable forested habitat.

BANANAQUIT (Coereba flaveola) - Recorded daily from many locations.

CHESTNUT-VENTED CONEBILL (*Conirostrum speciosum*) – Three at the wetland reserve on the 5th.

MAGPIE TANAGER (*Cissopis leveriana*) – Four on the Jacamar excursion on the 7th.

- * OLIVE-GREEN TANAGER (Orthogonys chloricterus) Five on the Cedae trail on the 5th.
- * RUBY-CROWNED TANAGER (Tachyphonus coronatus) Recorded almost daily in the lodge grounds and other locations.

BLACK-GOGGLED TANAGER (Trichothraupis melanops) - Recorded almost daily in small numbers in suitable forest habitat.

RED-CROWNED ANT-TANAGER (*Habia rubica*) – Up to four daily on three dates.

YELLOW-BACKED TANAGER (*Hemithraupis flavicollis*) – Three at the wetland reserve on the 5th.

* BRAZILIAN TANAGER (Ramphocelus bresilius) - Recorded daily in the grounds of the lodge and various other locations.

SAYACA TANAGER (*Thraupis sayaca*) – Recorded daily in the grounds of the lodge and various other locations.

* GOLDEN-CHEVRONED TANAGER (Thraupis ornata) - Recorded daily from any forested habitat and at the lodge garden.

PALM TANAGER (*Thraupis palmarum*) – Recorded daily in the grounds of the lodge and various other locations.

VIOLACEOUS EUPHONIA (*Euphonia violacea*) – Commonly recorded on the feeders at the lodge.

ORANGE-BELLIED EUPHONIA (Euphonia. xanthogaster) – Commonly recorded on the feeders at the lodge.

* CHESTNUT-BELLIED EUPHONIA (Euphonia pectoralis) - Commonly recorded on the feeders at the lodge.

BLUE-NAPED CHLOROPHONIA (Chlorophonia cyanea) – Two at the lodge on the 5th.

- * GREEN-HEADED TANAGER (*Tangara seledon*) Recorded everyday from the feeders by the lodge and in suitable lowland forest habitats.
- * **RED-NECKED TANAGER** (*Tangara cyanocephala*) Recorded regularly within the grounds of the lodge and in suitable lowland forest habitats.
- * BRASSY-BREASTED TANAGER (Tangara desmaresti) Up to thirty daily on four dates.
- * GILT-EDGED TANAGER (Tangara cyanoventris) Three at the Portao Azul on the 4th.

BURNISHED-BUFF TANAGER (*Tangara cayana*) – Recorded almost daily on the feeders by the lodge and from suitable forested habitat.

RUFOUS-BACKED TANAGER (*Hemithraupis ruficapilla*) – One at the Portao Azul on the 26th.

YELLOW-BACKED TANAGER (Hemithraupis flavicollis) - One at the National Park and two at the lodge.

DIADEMED TANAGER (*Stephanophorus diadematus*) – Eight on the high altitude excursion on the 1st.

FAWN-BREASTED TANAGER (Pipraeidea melanonota) – Singles on the high altitude and Portao Azul excursions.

BLUE DACNIS (*Dacnis cayana*) – Recorded almost daily in small numbers.

GREEN HONEYCREEPER (Chlorophanes spiza) - A pair at the lodge on several dates.

RED-LEGGED HONEYCREEPER (*Cyanerpes cyaneus*) – One at the lodge on the 30th.

SWALLOW TANAGER (*Tersina viridis*) – One on the Theodora trail.

BLUE-BLACK GRASSQUIT (Volatinia jacarina) - Recorded in small numbers on the Jacamar and wetland excursions.

LINED SEEDEATER (*Sporophila lineola*) – One at the wetland reserve on the 5th.

DOUBLE-COLLARED SEEDEATER (Sporophila caerulescens) – Recorded in small numbers from suitable farmland habitats.

SAFFRON FINCH (Sicalis flaveola) – Recorded daily from any suitable habitat.

* UNIFORM FINCH (Haplospiza unicolor) – Heard only, on the Jacamar excursion.

* BAY-CHESTED WARBLING-FINCH (Poospiza thoracica) - Six on the high altitude excursion on the 1st.

GRASSLAND SPARROW (*Ammodramus humeralis*) – Three on the Jacamar excursion on the 7th.

RUFOUS-COLLARED SPARROW (Zonotrichia capensis) - Small numbers were recorded on several dates.

* THICK-BILLED SALTATOR (Saltator maxillosus) – One on the high altitude excursion on the 1st.

GREEN-WINGED SALTATOR (Saltator similis) - One on the high altitude excursion on the 1st.

* BLACK-THROATED GROSBEAK (Pitylus fuliginosus) - One at the lodge on the 6th.

WHITE-BROWED BLACKBIRD (Sturnella superciliaris) – One on the Jacamar excursion on the 7^h.

CHESTNUT-CAPPED BLACKBIRD (Agelaius ruficapillus) – Small numbers at the wetland reserve and on the Jacamar excursion.

SHINY COWBIRD (Molothrus bonariensis) - Small numbers were recorded on several dates from a variety of habitats.

CHOPI BLACKBIRD (*Gnorimopsar chopi*) – Several seen on the Jacamar excursion on the 7th.

CRESTED OROPENDOLA (Psarocolius decumanus) – Up to four daily on five dates.

RED-RUMPED CACIQUE (*Cacicus haemorrhous*) – Small numbers at the wetland reserve on the 5th.

RED-COWLED CARDINAL (*Paroaria dominicana*) – One at the wetland reserve on the 5th.

HOODED SISKIN (*Carduelis magellanica*) – One on the high altitude excursion on the 1st.

HOUSE SPARROW (*Passer domesticus*) – Some were seen!