



ROCKJUMPER

Worldwide Birding Adventures

BRAZIL'S ATLANTIC COASTAL FOREST

Trip Report

30th November to 7th December 2015



Gilt-edged Tanager by Andy Foster

Trip report by tour leader Andy Foster

Tour Participants:

Thomas Brandt

Ed Blanchard

Melissa Blanchard

Matt Sullivan

Fran Sullivan

Mark Sullivan

DAILY NOTES

Monday 30th November

I met an enthusiastic group at arrivals who had arrived a few days earlier to enjoy Rio. Despite being a Monday we quickly made our way through the heavy traffic of Rio and it wasn't long before we started to see the first signs of the lowland Atlantic rainforest. 2.5 hours after leaving Rio we arrived at Itororo Lodge and instantly felt the difference in temperature compared to Rio; it was a cool 18 degrees centigrade! We were met by the owner Rainer, his sister Bettina and Raphael.

We unloaded the minibus and everyone was shown to their rooms. We met up at 13:00 for a great lunch and had a quick briefing about the week ahead. By this stage we had already picked up some of the birds on the feeders, located around the decking area, opposite the Lodge. These species included Azure-shouldered Tanager, Maroon-bellied Parakeet, Sayaca Tanager, Magpie Tanager, Ruby-crowned Tanager, Burnished-buff Tanager, Rufous-bellied Thrush and iridescent hummingbirds that included Brazilian Ruby, Black Jacobin, Scale-throated Hermit, Sombre Hummingbird and Violet-capped Woodnymph.

After lunch we had a short break and then met up at 14:30 and started to walk the first section of the Orchid Garden Trail, just a few minutes away from the Lodge. Unfortunately it wasn't long before the heavens opened and we had our first tropical downpour! It grew darker and thunder with thunder approaching we decided to head back to the Lodge and wait for the storm to pass. After just 40 minutes the sky was looking clearer so we headed back out and picked up some great species including Ochre-rumped Antbird, Rufous-capped Motmot, White-throated Woodcreeper, Blue Manakin and Ochre-faced Tody Flycatcher.

Rain was once again starting to fall from the sky so we headed back a little early and arrived at the Lodge at 18:00. We all met up for the list at 18:00 and dinner was served shortly after at 19:00. Although it was still raining lightly we decided to go and see if the Long-trained Nightjars were around, but unfortunately on this cold and wet night they clearly had somewhere better to be! So we called it a night and went back for some tea and coffee. It had been a long day so we retired early in preparation for a full days birding the next day.

Tuesday 1st December

We met for breakfast at 06:00 and unfortunately there was still some light rain, but we would wait to see how the weather improved over breakfast to see where to go. We decided to head towards Pico da Caledonia for the higher altitude trip, but upon arriving at the main road connection from the Lodge we changed plans due to the rain and took a 30 minute drive down to an altitude of 600m to bird along the Cedae Trail.

We had a great morning's birding and saw some excellent species including Rufous-capped Motmot, Red-necked Tanager, Buff-fronted Foliage Gleaner, Plain-winged Woodcreeper, a male Spot-billed Toucanet, Buff-bellied Puffbird, Spot-breasted Antwren, Star-throated Antwren, White-shouldered Fire-eye, Black-cheeked Gnateater, Eared Pygmy Tyrant, Rufous-thighed Kite, Chestnut-bellied Euphonia and Black-throated Grosbeak.

We returned to the minibus at 12:00 and took a 20 minute drive to the beginning of the Theodoro Trail, where we had our packed lunch. At 13:00 we began our walk along the Theodoro Trail, an old roadway at an altitude of 1080m. The trail runs through some good forest, and although it was wet underfoot and in low cloud, we saw some really good birds including Oustalet's Tyrannulet, Sharpbill, Brazilian Laniisoma, White-rimmed Warbler, Yellow-browed Woodpecker, White-browed Foliage Gleaner, Rufous-breasted Leaf-tosser and Greenish Schiffornis.

Arriving back at the van a little early at 16:00 as we were soaking wet (!) we headed back to the Lodge for some welcomed tea, coffee and homemade chocolate cake!



Red-necked Tanager by Andy Foster

We had planned to go owling that evening, but it was still raining so we decided to postpone our walk for a drier evening!

Wednesday 2nd December

We awoke to another cloudy, damp morning but it was looking slightly brighter over the distant mountains. We all met up for breakfast at 06:00 and at 06:30 departed towards the Pico da Caladonia to see if we could drive up high enough to do the high altitude excursion. Luckily the road was sufficiently dry and we

managed to drive up to 1700m where we parked the minibus and started our long walk up towards the higher peaks where we hoped to find the day's target species!

The sun started to peak through the clouds and we thought we were in for a nice clear, dry day! The walk started well with Fran finding a Thick-billed Saltator almost straight away which was followed by some distant views of a nice male Black and Gold Cotinga, in the following moments the scope was slightly moved (!) and the next person to look described a completely different bird... it had been knocked onto 3 Swallow-tailed Cotingas!! In the meantime, the Black and Gold Cotinga had departed but everyone enjoyed great views of a small family party of Swallow-tailed Cotingas! Thankfully we caught up later in the day with some great views of Black and Gold Cotinga for those that missed it!

As we continued up the mountain we had some great views of Rufous-tailed Antbird, Serra do Mar Tyrannulet, Diademed Tanager, Blue-billed Black-Tyrant and Plovercrest (only a female unfortunately). By mid-morning the cloud had started to roll in again and we arrived at the Grey-winged Cotinga spot and started to scan, however this was growing difficult due to the thick cloud! We decided to go up the mountain further to the next Grey-winged Cotinga spot, we had great views of a Black-billed Scythebill on the way whilst using playback. We also played for the Cotinga but only heard it a couple of times, distantly.

By this stage we were surrounded by thick cloud so decided to walk up higher to look for the Itatiaia Thistletail. We signed in at the security guards hut and headed towards the steps where the Thistletail resides! Within 100 steps we used playback and Mark spotted the bird, it finally came in closer and gave brief but excellent views! We also picked up a distant Velvety-black Black Tyrant and had some nice views of a Rufous-capped Antshrike.

With thick cloud still around us we started the trek back down and decided to stop for lunch at the view point (not much of a view point surrounded by cloud), just in case the cloud lifted! It did lift a few times and gave us the opportunity to scan for Grey-winged Cotinga. We used playback a few times and heard a response no further than 200-300 meters away, but alas, the cloud came in again and we couldn't find the bird. We hung around for another 30 minutes and it started to rain so we decided to head back down. We arrived at the minibus at 14:30 and drove just 5 minutes to another spot where we

had 20+ Swallow-tailed Cotingas (!) and serious close up views of a Red-legged Sereima...a great end to a great day! We arrived back at the lodge at 16:00 and met up again at 18:00 for the daily checklist.

Thursday 3rd December

We awoke to another damp and rainy morning, it looked to have been raining all night! Today we were to spend a full day around the Itororo Lodge grounds, firstly doing the blue circular trail, and then after lunch, the Orchid Garden Trail.

We departed at 06:30, as soon as we arrived at the start of the trail it began to rain! It looked like it would set in, but thankfully after an hour or so of light rain, it stopped! We had a great morning's birding, highlights were many and included Dusky-tailed Antbird, Rufous Gnateater, Bertoni's Antbird, Spot-billed Toucanet, Green-backed Becard, Planalto



Rusty-barred Owl by Andy Foster

Woodcreeper, Blue and Pin-tailed Manakin, Rufous-backed Antwreio, stunning views of a very cooperative Large-tailed Antshrike, Variable Antshrike, Streaked Xenops, 5 Swallow-tailed Kites, 2 Yellow-browed Woodpeckers, Sharp-tailed Streamcreeper, Black-billed Scythebill (much better views than yesterday), Mottle-cheeked and Rough-legged Tyrannulet, Blue-billed Black Tyrant, Bare-throated Bellbird, Rufous-crowned Greenlet and Green-winged Saltator. We have only been operating from Itororo Lodge for 8 months, and the morning's birding just shows how great the birding is here!

We returned to the Lodge at 12:30 and had a delicious lunch of fejoada (black beans, meat, kale and salad). We met up again at 14:15 to bird the Orchid Garden Trail. We had a good afternoon on this trail seeing Half-collared Sparrow, great views of a perched male Plovercrest, Chicli Spinetail, Orange-eyed Thornbird, Yellow Tyrannulet, White-collared Foliage Gleaner and Rufous-breasted Leaf-tosser.

By 17:00 all was very quiet bird-wise so we headed back to the Lodge and met up at 18:00 for the checklist and dinner at 18:30. We had planned to go and look for night birds but after dinner it was raining so we postponed it until the following day. We gathered to look through the photos from the camera trap that we had been placing on various trails around the lodge; photos included Paca, Nine-banded Armadillo, Coati, Tayra, Oncilla, Common Opossum, Brown Tinamou and Spot-winged Wood-Quail!

I took a look outside and it had stopped raining, so we decided to have a quick night walk. Within minutes of leaving the Lodge we had great views of a flying Short-tailed Nighthawk before venturing to the Rusty-barred Owl spot. We were just about to use playback when I thought I would have a quick scan, and there, sitting below us on a stump, was a Rusty-barred Owl...amazing views!! We happily clicked away and took lots of nice photos, turned the torch off for a minute, scanned again and there were 2 together in a tree nearby, beautiful! On the way back we came across a rather nice Orange-spined Hairy Dwarf Porcupine! Back at the lodge we had some tea, and then retired for the night.

Friday 4th December

After another early breakfast we headed off for the 1½ hour drive to the Regua wetlands for a day's birding in lowland forest. After arrival at the reserve we set off around the wetlands where we picked up Black-bellied Whistling Duck, Capped Heron, Whistling Heron, Striated Heron, Greater Ani,



Rufous-capped Antthrush by Andy Foster

Chestnut-backed Antshrike, Purple Gallinule, Muscovy Duck, Rufescent Tiger Heron, Amazon and Ringed Kingfisher, Cocoi Heron, Neotropic Cormorant, Yellow-chinned Spinetail, Anhinga, Great Black Hawk, Zone-tailed Hawk and great views of 2 Rufous-sided Crakes crossing the path!

After another early breakfast we headed off for the 1½ hour drive to the Regua wetlands for a day's birding in lowland forest. After arrival at the reserve we set off around the wetlands where we picked up Black-bellied Whistling Duck, Capped Heron, Whistling Heron, Striated Heron, Greater Ani, Chestnut-backed

Antshrike, Purple Gallinule, Muscovy Duck, Rufescent Tiger Heron, Amazon and Ringed Kingfisher, Cocoi Heron, Neotropic Cormorant, Yellow-chinned Spinetail, Anhinga, Great Black Hawk, Zone-tailed Hawk and great views of 2 Rufous-sided Crakes crossing the path!

After about 1½ hours we moved away from the wetland area and started on the Brown Trail into the lowland forest and then took the junction onto the São Jose Trail. Birds along this trail included good views of Scaled Antbird, White-bibbed Antbird, Lesser Woodcreeper, Eye-ringed Tody-Tyrant, Sooretama Slaty-Antshrike, Rufous-breasted Hermit, White-chinned Sapphire, Channel-billed Toucan, White-barred Piculet, Plain Xenops, Silvery-flanked and Unicolored Antwrens, White-bearded Manakin, Long-billed Wren and Flame-crested Tanager. Towards the middle of the afternoon the bird activity had dropped right off and we tried in a few other places for Southern Antpipit (Mark was beginning to doubt if this bird really exists by this point!), but I promised it to him on Sunday on the Three-toed Jacamar excursion!! We arrived back at the minibus by 16:00 and our faithful driver, Ivan, was still chatting away to Ed (AKA Eduardo) as he had decided to stay at the minibus and learn Portuguese with Ivan whilst we birded the wetlands!

Upon arrival back at the lodge by 17:30 we had some welcome tea and coffee and met up again at 18:30 for dinner followed by the daily checklist. With the lodge surrounded by thick cloud at 19:30 we decided to retire for the evening.

Saturday 5th December

Having gone through the bird checklist the previous night and working out where the most important gaps were (!) we decided to go back to the Cedae Trail this morning as there were a few important endemics left to see there. As we dropped down over the mountain pass at 1080m the sun was shining and all was looking very promising.

We hadn't walked further than 100m from our minibus when we bagged three of our targets, Green-headed Tanager, Rufous-headed Tanager and Ochre-breasted Foliage Gleaner, also picking up an unexpected bonus - a Yellow-billed Cuckoo! We continued on down the trail and soon picked up a fabulous Spot-backed Antshrike and White-necked Thrush. Other target birds that also showed well that morning included Saw-billed Hermit, Black-capped Foliage Gleaner, Pale-browed Treehunter and after some real effort some great views and photos of a Rufous-capped Antthrush! We returned to the minibus

by 12:00 and drove up to the start of the Theodoro Trail for lunch where we picked up 2 Plain Parakeets flying overhead but unfortunately a distant calling Ferruginous Antbird refused to come in.

By 12:30 we were on our way back to the Lodge to walk to Orchid Garden Trail again as we still needed some species that could be found on this trail. Upon arrival at the Lodge we had a 45 minute "tea break" and then started off on the trail. Within 10 minutes we heard Cryptic Antthrush; we all found somewhere to stand that allowed us to see down the slope and onto the forest floor, started playback, but unfortunately this Antthrush had other ideas and stayed out of site. We continued on up the trail, tried for White-breasted Tapaculo and Pin-tailed Manakin, without any luck. As we were playing for Pin-tailed Manakin a Cryptic



Guira Cuckoo by Andy Foster

Antthrush called close by, so we started playback and it slowly worked its way towards us, but not quite close enough. I recorded the bird and used its own call, and slowly but surely it came closer and then started walking left which allowed us to finally pick it up and to have good views of this difficult to see endemic! We then walked around to the Spotted Bamboowren site and started playback, amazingly this bird appeared quite quickly, allowing some short but good views. Not everyone had seen it well so we climbed up the bank a little way and stood directly under where it had been, used playback again and in it came allowing some brief but good views. Then onto Mouse-colored Tapaculo, after some considerable effort and patience this bird also appeared and gave good views (well, good for a Tapaculo anyway)!

By late afternoon, heavy rain was threatening with thunder drawing closer, so we took the short walk back to the Lodge.

As usual we completed the very respectable checklist for the day, had dinner at 18:30 and then headed out to look for the Long-trained Nightjars. Upon arrival at the spot, we had good views of 2 Short-tailed Nighthawks and then, thankfully, we had brief views of a Long-trained Nightjar as it flew over its usual spot, but then disappeared again! Thereafter we walked part way down a trail and tried for various species of owl, but without success. We did manage to call in a Common Potoo for close fly by views! This was followed by great views of a Tropical Screech Owl that almost took our heads off as it flew over us and landed close by, allowing great views for everyone!

Once again it started to rain and distant thunder and lightning drew closer, so we headed for the Lodge and arrived just in time to escape the heavens opening!

Another great day's birding!

Sunday 6th December

So this was our last full day's birding of the tour.

We left for Duas Barras and Sumidouro at 06:30, and quickly made it through the town of Nova Friburgo and out into the open country. The weather looked good, nice and clear but with distant clouds, it looked like it was to be the hottest day of the tour so far.



Scaled Woodcreeper by Andy Foster

By 07.30 we were at our first stop, Fran quickly picked up our first Blue-winged Macaw of the day so we all had good scope views! We also had good views of Streamer-tailed Tyrant, White-bellied Seedeater, Swallow-tailed Hummingbird, Grey-rumped Swift and Rufous-fronted Thornbird. We continued on our journey with many great birding stops en route finishing up at the Three-toed Jacamar site, just past the small town of Sumidouro. Highlights for the day included Ash-throated Crake, Plumbeous Kite, Slaty-breasted Wood Rail, Guira Cuckoo, Three-toed Jacamar, White-eared Puffbird, Black-necked Aracari, Band-tailed Hornero, Serra Antwren, Crested Black Tyrant, White-rumped Monjita, Long-tailed Tyrant, White-rumped Swallow, Blue-winged Parrotlet, White-browed Blackbird, Yellow-rumped Marshbird, Lined Seedeater and a new bird for the area, a Grassland Yellow Finch. We also had distant views of Gilt-edged Tanager...soon to be improved upon greatly!

We arrived at the Three-toed Jacamar spot slightly earlier than usual as we had birded our route quicker than planned due to large storm clouds building up and threatening heavy rain; had we been caught by the storm

we would probably have missed the Jacamar together with a few other key species. We picked up our first Three-toed Jacamar within minutes of arriving at the site and all had great scope views with plenty of photos also being taken!

We started our journey back to the Lodge together with a planned stop at a site where we had previously seen Saffron Toucanets on several occasions, but unfortunately it was pouring with rain as we passed the trail, so I decided we should continue on back to the Lodge for some more birding there. We arrived back at the Lodge to clear blue sky having passed through the rest of the heavy rain, we had a quick break for tea and biscuits and then some of the group birded part of the Blue Trail until 18:00. It was fairly quiet but some of us did pick up Plumbeous Pigeon and a Rufous-tailed Antthrush.

We returned back to the Lodge for 18:00, completed the daily checklist and then had dinner at 18:30. Afterwards we headed out onto the Orchid Garden Trail having just watched the Short-tailed Nighthawks over the Lodge again. There was Common Potoo, Tropical Screech Owl and Rusty-barred Owls calling, but as we had previously seen these species we set off into the forest to try and find something different! Unfortunately it was very quiet and we returned back to the Lodge at 20:30.

Monday 7th December

So our last morning at Itororo Lodge was upon us and we had about 4 hours to spend on the trails around the Lodge. We had a few target species so decided to walk the circular Blue Trail behind the Lodge. There was a lot of low cloud about in the morning and each time the sun came through, the birds would become active! First up we found a Grey-capped Tyrannulet, this bird had previously called a couple of times during the week but hadn't responded to playback, but on this occasion it thankfully came straight in! We tried in several places for White-breasted Tapaculo, had a response but it didn't come any closer! We managed another 2 new birds, a catch up bird for some was the Rufous-tailed Antthrush that finally showed quite well, followed by a Swainson's Flycatcher at the highest point of the trail, which also showed well.

We ran into a nice mixed flock on the way back down to the Lodge that consisted of White-throated Woodcreeper, Lesser Woodcreeper, Yellow-browed Woodpecker, Spot-billed Toucanet, Scaled Woodcreeper, Variable Antshrike and Ruby-crowned Tanagers. We arrived back at the Lodge at 10.30 and completed our final checklist of the trip. We had lunch at 12:00 and Ivan, our trusty driver, arrived on time, loaded the bags into the minibus and we were away by 12:30 back to Rio de Janeiro.

A great week was had by all with excellent birding, good company, great food and some fine memories!

During the week we saw a combined group total of 275 species of which 90 were Atlantic Forest endemics! We also had a further 16 species that were heard only.

SPECIES LIST

Species in bold are endemic to the Atlantic rain forest.

Species with an * are endemic to Brazil.

KEY:

X = More than 5 seen

H = Heard only

BIRD SPECIES (Scientific name)	DAYS							
	1	2	3	4	5	6	7	8
TINAMOUS								
SOLITARY TINAMOU (<i>Tinamus solitarius</i>)	H							
BROWN TINAMOU (<i>Crypturellus obsoletus</i>)				H		H		H
GUANS								
DUSKY-LEGGED GUAN (<i>Penelope obscura</i>)	2	1	2	2	2	2	4	X
NEW WORLD QUAILS								
SPOT-WINGED WOOD-QUAIL (<i>Odontophorus capueira</i>)			H					
DUCKS								
BLACK-BELLIED WHISTLING-DUCK (<i>Dendrocygna autumnalis</i>)					4			
MUSCOVY DUCK (<i>Cairina moschata</i>)					2			
BRAZILIAN TEAL (<i>Amazonetta brasiliensis</i>)					2			
HERONS								
RUFESCENT TIGER-HERON (<i>Tigrisoma lineatum</i>)					2			
BLACK-CROWNED NIGHT-HERON (<i>Nycticorax nycticorax</i>)	1							
STRIATED HERON (<i>Butorides striatus</i>)					X		1	
WESTERN CATTLE EGRET (<i>Bubulcus ibis</i>)	X				X			
COCOI HERON (<i>Ardea cocoi</i>)					1			
GREAT EGRET (<i>A. alba</i>)	X				4		1	
CAPPED HERON (<i>Pilherodius pileatus</i>)					2			
WHISTLING HERON (<i>Syrigma sibilatrix</i>)					1		2	

SNOWY EGRET (<i>E. thula</i>)	X				1			
FRIGATEBIRDS								
MAGNIFICENT FRIGATEBIRD (<i>Fregata magnificens</i>)	X							
CORMORANTS								
NEOTROPIC CORMORANT (<i>Phalacrocorax brasilianus</i>)	X				1			
ANHINGAS								
ANHINGA (<i>Anhinga anhinga</i>)					1			
NEW WORLD VULTURES								
TURKEY VULTURE (<i>Cathartes aura</i>)					X	1	X	
LESSER YELLOW-HEADED VULTURE (<i>C. burrovianus</i>)					1		1	
BLACK VULTURE (<i>Coragyps atratus</i>)	X		X	X	X	X	X	X
KITES, HAWKS AND EAGLES								
SWALLOW-TAILED KITE (<i>Elanoides forficatus</i>)			5					
RUFIOUS-THIGHED KITE (<i>Harpagus diodon</i>)		1						
PLUMBEOUS KITE (<i>Ictinia plumbea</i>)						1		
RUFIOUS-THIGHED HAWK (<i>Accipiter erythromeni</i>)								1
GREAT BLACK HAWK (<i>Buteogallus urubitinga</i>)					1			
SAVANNA HAWK (<i>B. meridionalis</i>)			1					
ROADSIDE HAWK (<i>Buteo magnirostris</i>)					1		2	
WHITE-TAILED HAWK (<i>B. albicaudatus</i>)							2	
ZONE-TAILED HAWK (<i>B. albonotatus</i>)					1			
CARACARAS AND FALCONS								
SOUTHERN CRESTED CARACARA (<i>Caracara plancus</i>)					1		X	1
YELLOW-HEADED CARACARA (<i>Milvago chimachima</i>)	1				X		X	
BARRED FOREST-FALCON (<i>Micrastur ruficollis</i>)								H
AMERICAN KESTREL (<i>Falco sparverius</i>)							1	
SERIEMAS								
RED-LEGGED SERIEMA (<i>Cariama cristata</i>)			2				1	
RAILS, CRAKES AND COOTS								
RUFIOUS-SIDED CRAKE (<i>Laterallus melanophaius</i>)					2			
SLATY-BREASTED WOOD-RAIL (<i>Aramides saracura</i>)			H		1	1	4	
ASH-THROATED CRAKE (<i>Porzana albicollis</i>)							1	
BLACKISH RAIL (<i>Pardirallus nigricans</i>)							1	H
PURPLE GALLINULE (<i>Porphyrio martinica</i>)							X	
COMMON MOORHEN (<i>Gallinula chloropus</i>)							X	
PLOVERS								
SOUTHERN LAPWING (<i>Vanellus chilensis</i>)					X	X	X	
JACANAS								
WATTLED JACANA (<i>Jacana jacana</i>)					X			
GULLS, TERNS AND SKIMMERS								
GRAY-HEADED GULL (<i>Chroicocephalus cirrocephalus</i>)	X							
KELP GULL (<i>Larus dominicanus</i>)	2							
PIGEONS AND DOVES								
ROCK DOVE (<i>Columba livia</i>)	X		X		X		X	

PICAZURO PIGEON (<i>Patagioenas picazuro</i>)	X	X	X	X	X	X	X	X
PALE-VENTED PIGEON (<i>P. cayennensis</i>)	2							
PLUMBEOUS PIGEON (<i>P. plumbea</i>)		H	H				2	
RUDDY GROUND-DOVE (<i>Columbina talpacoti</i>)		X	X		X		X	
WHITE-TIPPED DOVE (<i>Leptotila verreauxi</i>)	2	1	1	2				
GRAY-FRONTED DOVE (<i>L. rufaxilla</i>)	2				2	1		1
PARROTS								
BLUE-WINGED MACAW (<i>Primolius maracana</i>)							4	
WHITE-EYED PARAKEET (<i>Aratinga leucophthalmus</i>)			8	H			X	H
MAROON-BELLIED PARAKEET (<i>Pyrrhura frontalis</i>)	2	2	2	2	2	2	4	X
BLUE-WINGED PARROTLET (<i>Forpus xanthopterygius</i>)							3	
PLAIN PARAKEET (<i>Brotogeris tirica</i>)*						2		
GOLDEN-TAILED PARROTLET (<i>Touit serda</i>)*						H		
SCALY-HEADED PARROT (<i>Pionus maximiliani</i>)	4	2	1	1		2	X	
CUCKOOS								
GUIRA CUCKOO (<i>Guira guira</i>)							X	
GREATER ANI (<i>Crotophaga major</i>)					X			
SMOOTH-BILLED ANI (<i>C. ani</i>)	X				X		X	
STRIPED CUCKOO (<i>Tapera naevia</i>)					H			
SQUIRREL CUCKOO (<i>Piaya cayana</i>)		1			1	1	1	
YELLOW-BILLED CUCKOO (<i>Coccyzus americanus</i>)						1		
OWLS								
TROPICAL SCREECH-OWL (<i>Megascops choliba</i>)			H	1		1		
RUSTY-BARRED OWL (<i>Strix hylophila</i>)			H	2			H	
POTOOS								
COMMON POTOO (<i>Nyctibius griseus</i>)				H		1	H	
NIGHTJARS								
SHORT-TAILED NIGHTHAWK (<i>Lorocalis semitorquatus</i>)				2	2	2	4	
LONG-TRAINED NIGHTJAR (<i>Macropsalis forcipata</i>)			1			1		
SWIFTS								
WHITE-COLLARED SWIFT (<i>Streptoprocne zonaris</i>)	X		X	X	1	1		1
GREY-RUMPED SWIFT (<i>Chaetura cinereiventris</i>)							X	
SICK'S SWIFT (<i>C. meridionalis</i>)			4	2				
HUMMINGBIRDS								
SAW-BILLED HERMIT (<i>Ramphodon naevius</i>)*		H				2		
RUFIOUS -BREASTED HERMIT (<i>Glaucis hirsutus</i>)					3			
SCALE-THROATED HERMIT (<i>Phaethornis eurynome</i>)	2	1		2	1	1	1	1
DUSKY THROATED HERMIT (<i>P. squalidus</i>)*						1		
REDDISH HERMIT (<i>P. ruber</i>)					H			
SOMBRE HUMMINGBIRD (<i>Aphantochroa cirrhochloris</i>)*	1	1	1	1	1	1	1	1
SWALLOW-TAILED HUMMINGBIRD (<i>Eupetomena macroura</i>)							1	
BLACK JACOBIN (<i>Florisuga fusca</i>)	X	X	X	X	X	X	X	X
PLOVERCREST (<i>Stephanoxis lalandi</i>)			1	2				

WHITE-BROWED FOLIAGE GLEANER (<i>Anabacerthia amaurotis</i>)*		1						
OCHRE-BREASTED FOLIAGE-GLEANER (<i>Philydor lichtensteini</i>)						1		
BLACK-CAPPED FOLIAGE-GLEANER (<i>P. atricapillus</i>)		1			H	2		
BUFF-FRONTED FOLIAGE-GLEANER (<i>P. rufum</i>)		2		2		X		
WHITE-COLLARED FOLIAGE-GLEANER (<i>Anabezenops fuscus</i>)*				1				1
PALE-BROWED TREEHUNTER (<i>Cichlocolaptes leucophrus</i>)*						1		
RUFOUS-BREASTED LEAFTOSSER (<i>Sclerurus scansor</i>)		1		1		H		
SHARP-TAILED STREAMCREEPER (<i>Lochmias nematura</i>)				1				
PLAIN XENOPS (<i>Xenops minutus</i>)					1	1		
STREAKED XENOPS (<i>X. rutilans</i>)				1	1	2		
PLAIN-WINGED WOODCREEPER (<i>Dendrocincla turdina</i>)*		1			H	H		
OLIVACEOUS WOODCREEPER (<i>Sittasomus griseicapillus</i>)		2		H				X
WHITE-THROATED WOODCREEPER (<i>Xiphocolaptes albicollis</i>)	2					1		1
PLANALTO WOODCREEPER (<i>Dendrocolaptes platyrostris</i>)				1				
LESSER WOODCREEPER (<i>Xiphorhynchus fuscus</i>)					2	3	1	2
SCALED WOODCREEPER (<i>Lepidocolaptes squamatus</i>)*			1	1				2
BLACK-BILLED SCYTHEBILL (<i>Campylorhamphus falcularius</i>)			1	1				1
ANTBIRDS								
SPOT-BACKED ANTSHRIKE (<i>Hypoedaleus guttatus</i>)						1		
GIANT ANTSHRIKE (<i>Batara cinerea</i>)				H				
LARGE-TAILED ANTSHRIKE (<i>Mackenziaena leachii</i>)			H	1				
CHESTNUT-BACKED ANTSHRIKE (<i>Thamnophilus palliatus</i>)						1		
SOORETAMA SLATY-ANTSHRIKE (<i>T. ambiguus</i>)*						3		
VARIABLE ANTSHRIKE (<i>T. caerulescens</i>)			1	2				2
RUFOUS-CAPPED ANTSHRIKE (<i>T. ruficapillus</i>)			2					
SPOT-BREASTED ANTVIREO (<i>Dysithamnus stictothonax</i>)		1				1		
PLAIN ANTVIREO (<i>D. mentalis</i>)		2				1		
RUFOUS-BACKED ANTVIREO (<i>D. xanthopterus</i>)*			H	2		H		
STAR-THROATED ANTWREN (<i>Myrmotherula gularis</i>)*		1						
SILVERY-FLANKED ANTWREN (<i>M. luctuosa</i>)*						X		
UNICOLORED ANTWREN (<i>M. unicolor</i>)*						2		
SERRA ANTWREN (<i>Formicivora serrana</i>)*							1	
BERTONIS ANTBIRD (<i>Drymophila rubricollis</i>)				1				
RUFOUS-TAILED ANTBIRD (<i>D. genei</i>)*			1					
OCHRE-RUMPED ANTBIRD (<i>D. ochropyga</i>)*	2			1		1		1

DUSKY-TAILED ANTBIRD (<i>D. malura</i>)				1			
SCALED ANTBIRD (<i>D. squamata</i>)*					2		
STREAK-CAPPED ANTWREN (<i>Terenura maculata</i>)		2				2	
WHITE-SHOULDERED FIRE-EYE (<i>Pyriglena leucoptera</i>)		2				1	1
WHITE-BIBBED ANTBIRD (<i>Myrmeciza loricata</i>)*					1		
ANTTHRUSHES							
RUFOUS-CAPPED ANTTHRUSH (<i>Formicarius colma</i>)		H				1	
CRYPTIC ANTTHRUSH (<i>Chamaeza meruloides</i>)*		H		H		1	H
RUFOUS-TAILED ANTTHRUSH (<i>C. ruficauda</i>)*				H		H	1 1
ANTPITTAS							
VARIEGATED ANTPITTA (<i>Grallaria varia</i>)		H		H		H	
GNATEATERS							
RUFOUS GNATEATER (<i>Conopophaga lineata</i>)			1	1		2	
BLACK-CHEEKED GNATEATER (<i>C. melanops</i>)*		2					
TAPACULOS							
SPOTTED BAMBOOWREN (<i>Psilorhamphus guttatus</i>)						1	
SLATY BRISTLEFRONT (<i>Merulaxis ater</i>)*		1					
WHITE-BREASTED TAPACULO (<i>Eleoscytalopus indigoticus</i>)*					H		H
MOUSE-COLORED TAPACULO (<i>Scytalopus speluncae</i>)*			H	H		1	
TYRANT FLYCATCHERS							
PLANALTO TYRANNULET (<i>Phyllomyias fasciatus</i>)	2		1	1			
ROUGH-LEGGED TYRANNULET (<i>P. burmeisteri</i>)				1			
GREY-CAPPED TYRANNULET (<i>P. griseocapillus</i>)*							1
YELLOW-BELLIED ELAENIA (<i>Elaenia flavogaster</i>)	1				1	1	X
OLIVACEOUS ELAENIA (<i>E. mesoleuca</i>)			2				
YELLOW TYRANNULET (<i>Capsiempis flaveola</i>)				2			1
MOTTLE-CHEEKED TYRANNULET (<i>Phylloscartes ventralis</i>)			1	1			H
OUSTALET'S TYRANNULET (<i>P. oustaleti</i>)*		1					
SERRA DO MAR TYRANNULET (<i>P. difficilis</i>)*			1				
OCHRE-BELLIED FLYCATCHER (<i>Mionectes oleaginous</i>)		1			2		
SEPIA-CAPPED FLYCATCHER (<i>Leptopogon amaurocephalus</i>)				1			1 1
BRAN-COLORED FLYCATCHER (<i>Myiophobus fasciatus</i>)				1			
DRAB-BREASTED BAMBOO-TYRANT (<i>Hemitriccus diops</i>)	1			1			1
EYE-RINGED TODY-TYRANT (<i>H. orbitatus</i>)*					2		
EARED PYGMY-TYRANT (<i>Myiornis auricularis</i>)		1				1	
OCHRE-FACED TODY-FLYCATCHER (<i>Poecilatriccus plumbeiceps</i>)	1						1
YELLOW-LORED TODY-FLYCATCHER (<i>Todirostrum poliocephalum</i>)*					1		H
COMMON TODY-FLYCATCHER (<i>T. cinereum</i>)					1		

YELLOW-OLIVE FLATBILL (FLYCATCHER) (<i>Tolmomyias sulphureus</i>)	H	3		1		1	1	
WHITE-THROATED SPADEBILL (<i>Platyrinchus mystaceus</i>)		H				1		
CLIFF FLYCATCHER (<i>Hirundinea ferruginea</i>)	1							
BLUE-BILLED BLACK-TYRANT (<i>Knipolegus cyanirostris</i>)			2	1				1
CRESTED BLACK TYRANT (<i>K. lophotes</i>)							2	
VELVETY BLACK-TYRANT (<i>K. nigerrimus</i>)*			1					
YELLOW-BROWED TYRANT (<i>Satrapa icterophrys</i>)							2	
WHITE-RUMPED MONJITA (<i>Xolmis velatus</i>)							2	
STREAMER-TAILED TYRANT (<i>Gubernetes yetapa</i>)							4	
MASKED WATER-TYRANT (<i>Fluvicola nengeta</i>)					X		X	
WHITE-HEADED MARSH-TYRANT (<i>Arundinicola leucocephala</i>)					3			
LONG-TAILED TYRANT (<i>Colonia colonus</i>)							3	
CATTLE TYRANT (<i>Machetornis rixosa</i>)			4		4		X	
SOCIAL FLYCATCHER (<i>Myiozetetes similis</i>)			1		4		X	
GREAT KISKADEE (<i>Pitangus sulphuratus</i>)	X		X	X	X	X	X	X
STREAKED FLYCATCHER (<i>Myiodynastes maculatus</i>)	1					1		1
BOAT-BILLED FLYCATCHER (<i>Megarhynchus pitangua</i>)	2	X	X	1	X			1
VARIEGATED FLYCATCHER (<i>Empidonomus varius</i>)			1			1		
TROPICAL KINGBIRD (<i>Tyrannus melancholicus</i>)	1			1	X	1	X	
FORK-TAILED FLYCATCHER (<i>T. savanna</i>)					1		2	
GRAYISH MOURNER (<i>Rhytipterna simplex</i>)					2			
SWAINSON'S FLYCATCHER (<i>Myiarchus swainsoni</i>)								1
SHORT-CRESTED FLYCATCHER (<i>M. ferox</i>)					1			
GRAY-HOODED ATTLA (<i>Attila rufus</i>)*		3		H		1		1
COTINGAS								
BARE-THROATED BELLBIRD (<i>Procnias nudicollis</i>)	H	H	H	X		H	H	2
BLACK AND GOLD COTINGA (<i>Tijuca atra</i>)*			4					
GREY-WINGED COTINGA (<i>T. condita</i>)*			H					
MANAKINS								
PIN-TAILED MANAKIN (<i>Ilicura militaris</i>)*				1		H		1
WHITE-BEARDED MANAKIN (<i>Manacus manacus</i>)					X		2	
BLUE MANAKIN (<i>Chiroxiphia caudata</i>)	2	X		2		1		H
TITYRAS AND BECARDS								
SHARPBILL (<i>Oxyruncus cristatus</i>)		1		H				
BLACK-TAILED MYIOBIUS (FLYCATCHER (<i>Myiobius atricaudus</i>)					1			
GREENISH SCHIFFORNIS (<i>Schiffornis virescens</i>)		1						
BRAZILIAN LANIISOMA (<i>Laniisoma elegans</i>)*		1						
GREEN-BACKED BECARD (<i>Pachyramphus viridis</i>)				1				
CHESTNUT-CROWNED BECARD (<i>P. castaneus</i>)	1							1
WHITE-WINGED BECARD (<i>P. polychopterus</i>)	1	H	1					
UNCERTAIN FAMILY								
SWALLOW-TAILED COTINGA (<i>Phibalura flavirostris</i>)			X					

RED-CROWNED ANT-TANAGER (<i>Habia rubica</i>)		2			2	X		
BLACK-THROATED GROSBEAK (<i>Saltator fuliginosus</i>)		3				1		
BUFF-THROATED SALTATOR (<i>S. maximus</i>)					H			
GREEN-WINGED SALTATOR (<i>S. similis</i>)	H			2				
THICK-BILLED SALTATOR (<i>S. maxillosus</i>)			1					
ULTRAMARINE GROSBEAK (<i>Cyanocompsa brissonii</i>)								
HOUSE SPARROW (<i>Passer domesticus</i>)	X						X	

Rockjumper Birding Ltd
C/o Summit Trust Mauritius Limited
Labourdonnais Village
Mapou
Mauritius
 Tel (USA & Canada) toll free: 1-888-990-5552
 Email: info@rockjumperbirding.com
 Alternative email: rockjumperbirding@yahoo.com
 Website: www.rockjumperbirding.com
